

Dr. Ligeti Erzsébet tudományos közleményei

A. Folyóiratban megjelent, teljes terjedelmű közlemények

Halmazott impakt faktor: 280.3

(IF: a megjelenés évének impakt faktora)

A.Fonyó, **E.Ligeti** and H.Baum (1977)

The nature of absorbance changes following the addition of ADP to mitochondria: ATP synthesis from intramitochondrial inorganic phosphate

J. Bioenerg. Biomembr. 9. 213-221.

IF.: 1.489

E.Ligeti and A.Fonyó (1977)

Competitive inhibition of valinomycin-induced K^+ -transport by Mg^{2+} -ions in liver mitochondria

FEBS Lett. 79. 33-36.

IF.: 2.908

A.Fonyó and **E.Ligeti** (1978)

The role of intramitochondrial P_i in stimulation of respiration by calcium and strontium

FEBS Lett. 93. 289-292.

IF.: 3.004

A.Fonyó and **E.Ligeti** (1978)

Intramitochondrial phosphate is the source of protons in the response of liver mitochondria to cations

FEBS Lett. 96. 343-345.

IF.: 3.004

E.Ligeti, K.Ikrényi and A.Fonyó (1979)

The inhibitor-sensitivity and pathways of P_i uptake during calcium and strontium accumulation in liver mitochondria

FEBS Lett. 107. 205-208.

IF.: 3.004

E.Ligeti (1980)

Mitchell kemiozmotikus elmélete a mitokondriális ion-transport folyamatok tükrében

MTA Biol.Oszt.Közl.23. 67-91.

E.Ligeti and L.I.Horváth (1980)

Effect of Mg^{2+} ions on membrane fluidity and K^+ -transport in rat liver mitochondria

Biochim.Biophys.Acta 600. 150-156.

IF.: 2.864

A.Fonyó, G.Lukács and **E.Ligeti** (1981)

Participation of inorganic phosphate in the chemiosmotic mechanism of mitochondrial energy transduction

Acta Biol.Med.Ger. 40. 907-914.

IF.: 0.569

E.Ligeti, J.Bodnár, E.Károly and E.Lindner (1981)

Ni^{2+} : a new inhibitor of mitochondrial calcium transport

Biochim.Biophys.Acta 656. 177-182.

IF.: 2.641

E.Ligeti and A.Fonyó (1984)

Reactivity of the sulphhydryl groups of the mitochondrial phosphate carrier

Eur.J.Biochem. 139. 279-285.

IF.: 3.398

- E.Ligeti** and G.Lukács (1984)
Phosphate transport, membrane potential and movements of calcium in rat liver mitochondria
J.Bioenerg.Biomembr. 16. 101-113. IF.: 1.730
- J.Doussiere, **E.Ligeti**, G.Brandolin and P.V.Vignais (1984)
Control of oxidative phosphorylation in rat heart mitochondria. The role of the adenine nucleotide carrier
Biochim.Biophys.Acta 766. 492-500. IF.: 2.536
- V.Ádám-Vizi and **E.Ligeti** (1984)
Release of acetylcholine from rat brain synaptosomes by various agents in the absence of external calcium ions
J.Physiol. (London) 353. 505-521. IF.: 3.294
- E.Ligeti**, G.Brandolin, Y.Dupont and P.V.Vignais (1985)
Kinetics of Pi-Pi exchange in rat liver mitochondria. Rapid filtration experiments in the millisecond time-range
Biochemistry 24. 4423-4428. IF.: 3.930
- V.Ádám-Vizi and **E.Ligeti** (1986)
Calcium uptake of rat brain synaptosomes as a function of membrane potential under different depolarizing conditions
J.Physiol. (London), 372. 363-377. IF.: 3.977
- E.Ligeti** and A.Fonyó (1987)
Mitochondrial phosphate carrier. Functional role of its SH groups and interrelations within the carrier unit
Eur.J.Biochem. 167. 167-173. IF.: 3.393
- A.Kapus, G.Lukács, E.J.Cragoe, **E.Ligeti** and A.Fonyó (1988)
Characterization of the mitochondrial Na-H exchange. The effect of amiloride analogues
Biochim.Biophys.Acta 944. 383-390. IF.: 2.278
- E.Ligeti**, J.Doussiere and P.V.Vignais (1988)
Activation of the O_2^- generating oxidase in plasma membrane from bovine polymorphonuclear neutrophils by arachidonic acid, a cytosolic factor of protein nature and non hydrolyzable analogs of GTP
Biochemistry 27. 193-200. IF.: 4.006
- E.Ligeti** and A.Fonyó (1989)
Phosphate transport protein of rat heart mitochondria: location of its SH groups and exploration of their environment
Biochim.Biophys.Acta 973. 170-175. IF.: 2.261
- A.Kapus, **E.Ligeti** and A.Fonyó (1989)
Na⁺/H⁺ exchange in mitochondria as monitored by BCECF fluorescence
FEBS Letters 251. 49-52. IF.: 3.361

- E.Ligeti**, M.Tardif and P.V.Vignais (1989)
Activation of O_2^- generating oxidase of bovine neutrophils in a cell-free system. Interaction of a cytosolic factor with the plasma membrane and control by G nucleotides
Biochemistry 28. 7116-7123. IF.: 4.24
- A.Kapus, K.Szászi, K.Káldi, **E.Ligeti** and A.Fonyó (1990)
Ruthenium red inhibits mitochondrial Na^+ and K^+ uniports induced by magnesium removal
J.Biol.Chem. 265. 18063-18066. IF.: 6.698
- A.Kapus, K.Szászi, K.Káldi, **E.Ligeti** and A.Fonyó (1991)
Is the mitochondrial Ca^{2+} uniporter a voltage-modulated transport pathway?
FEBS Letts. 282. 61-64. IF.: 3.479
- A.Kapus, K.Szászi and **E.Ligeti** (1992)
Phorbol 12-myristate 13-acetate activates an electrogenic H^+ -conducting pathway in the membrane of neutrophils
Biochem. J. 281. 697-701. IF.: 3.716
- Gy.Báthori, M.Sahin-Tóth, A.Fonyó and **E.Ligeti** (1993)
Transport properties and inhibitor sensitivity of isolated and reconstituted porin differ from those of intact mitochondria
Biochim. Biophys. Acta 1145. 168-176. IF.: 2.467
- A.Kapus, K.Suszták and **E.Ligeti** (1993)
Regulation of the electrogenic H^+ -channel in the plasma membrane of neutrophil granulocytes
Biochem. J. 292. 445-450. IF.: 3.659
- E.Ligeti**, V.Pizon, A.Wittinghofer, P.Gierschik and K.H.Jakobs (1993)
GTPase activity of small GTP-binding proteins in HL-60 membranes is stimulated by arachidonic acid
Eur. J. Biochem. 216. 813-820. IF.: 3.306
- K.Káldi, K.Szászi, K.Suszták, A.Kapus and **E.Ligeti** (1994)
Lymphocytes possess an electrogenic H^+ -transporting pathway in their plasma membrane
Biochem. J. 301. 329-334. IF.: 4.262
- Gy.Báthori, A.Fonyó and **E.Ligeti** (1995)
Trace amounts of Triton X-100 modify the inhibitor sensitivity of the mitochondrial porin
Biochim. Biophys. Acta 1234. 249-254. IF.: 2.500
- M.Geiszt, K.Káldi, J.B.Szeberényi and **E.Ligeti** (1995)
Thapsigargin inhibits Ca^{2+} entry into human neutrophil granulocytes
Biochem. J. 305. 525-528. IF.: 4.159
- K.Suszták, K.Káldi, A.Kapus and **E.Ligeti** (1995)
Ligands of purinergic receptors stimulate electrogenic H^+ -transport of neutrophils
FEBS Letters 375. 79-82. IF.: 3.842

- K. Káldi, Szászi, K., Koncz, G., Suszták, K. and **Ligeti, E.** (1996)
Arachidonic acid activatable electrogenic H⁺ transport in the absence of cytochrome b₅₅₈ in human T lymphocytes
FEBS Letters 381. 156-160. IF.: 3.750
- Wölfl, J., Dagher, M.C., Fuchs, A., Geiszt, M. and **Ligeti, E.** (1996)
In vitro activation of the NADPH oxidase by fluoride
Possible involvement of a factor activating GTP hydrolysis on Rac
Eur. J. Biochem. 239.369-375. IF.: 3.275
- K.Suszták, A.Mócsai, **E.Ligeti** and A.Kapus (1997)
The electrogenic H⁺ pathway contributes to the stimulus-induced changes of internal pH and membrane potential in intact neutrophils: the role of cytoplasmic phospholipase A2
Biochem. J. 325. 501-510. IF.: 3.579
- A.Mócsai, B.Bánfi, A.Kapus, Gy.Farkas, M.Geiszt, L.Buday, A.Faragó and **E.Ligeti** (1997)
Differential effect of tyrosine kinase inhibitors and an inhibitor of the mitogen-activated protein kinase cascade on degranulation and superoxide production of human neutrophil granulocytes
Biochem. Pharmacol. 54. 781-789. IF.: 2.443
- M.Geiszt, A.Kapus, K.Német, L.Farkas and **E. Ligeti** (1997)
Regulation of capacitative Ca²⁺ influx in human neutrophil granulocytes
J. Biol. Chem. 272. 26471-26478. IF.: 6.963
- E. Ligeti** and A. Mócsai (1999)
Exocytosis of neutrophil granulocytes
Biochem. Pharmacol. 57. 1209-1214. 1999. IF.: 2.755
- M. Geiszt, J.B.Szeberényi, K.Káldi and **E. Ligeti** (1999)
Role of different Ca²⁺ sources in the superoxide production of human neutrophil granulocytes
Free Radical Biol. Med. 26. 1092-1099. 1999. IF.: 4.079
- A. Mócsai, **E. Ligeti**, C.A.Lowell and G.Berton (1999)
Signaling for degranulation in adherent neutrophils requires the Src-family kinases Fgr and Hck
J. Immunol. 162. 1120-1126. IF.: 7.145
- K. Szászi, A. Korda, J. Wölfl, M.-H. Paclét, F. Morel and **E. Ligeti** (1999)
Possible role of Rac-GTPase activating protein in the termination of superoxide production in phagocytic cells
Free. Rad. Biol. Med. 27. 764-772. 1999. IF.: 4.079
- B. Bánfi, J.Schrenzel, O.Nüsse, D.P.Lew, **E.Ligeti**, K.H.Krause and N.Demaurex (1999)
A novel H⁺ conductance in eosinophils: unique characteristics and absence in chronic granulomatous disease
J. Exp. Med. 190. 183-194. IF.: 15.651
- Ligeti Erzsébet** és Geiszt Miklós (1999)

Kis GTP-kötő fehérjék orvosi jelentősége
Orvosi Hetilap 140. 2385-2391.

B.Bánfi, A.Maturana, S.Jaconi, S.Arnaudeau, T.Laforge, B.Sinha, E. **Ligeti**, N. Demaurex, K-H.Krause (2000)
A mammalian H⁺ channel generated through alternative splicing of the NADPH oxidase homolog NOH-1
Science 287. 138-142. IF.: 23,872

A.Mócsai, Z.Jakus, T.Vántus, G.Berton, C.A.Lowell and E. **Ligeti** (2000)
Kinase pathways in chemoattractant-induced degranulation of neutrophils: The role of p38 MAP kinase activated by Src family kinases
J. Immunol. 164. 4321-4331. IF.: 6,834

M. Geiszt, M.C. Dagher, G. Molnár, A. Havasi, J. Fauré, M.H. Paclet, F. Morel and E. **Ligeti** (2001)
Characterization of membrane-localized and cytosolic Rac GTPase activating proteins (Rac-GAP) in human neutrophil neutrophils. Contribution to the regulation of NADPH oxidase
Biochem. J.355. 851-858. IF.: 4,326

Ligeti Erzsébet és Bánfi Botond (2001)
A NADPH oxidázok gyorsan növekvő családja
Orvosképzés 76. 13-19.

M.Geiszt, A. Kapus and E. **Ligeti** (2001)
Chronic granulomatous disease: more than the lack of superoxide?
J. Leukocyte Biol.69. 191-196. IF.: 4.516

Phelps A, Briggs C, Haefele A, Mincone L, **Ligeti E**, Wohlrab H (2001)
Mitochondrial phosphate transport protein. Reversions of inhibitory conservative mutations identity four helices and a nonhelix protein segment with transmembrane interactions and Asp39, Glu137, and Ser158 as nonessential for transport
Biochemistry 40. 2080-2086 IF: 4.114

G. Molnár, M.C. Dagher, M. Geiszt, J. Settleman and E. **Ligeti** (2001)
Role of prenylation in the interaction of Rho-family small GTPases with GTPase activating proteins
Biochemistry 40. 10542-10549. IF: 4.114

K. Káldi, J. Szeberényi, B. K. Rada, P. Kovács, M. Geiszt, A. Mócsai and E. **Ligeti** (2002)
Contribution of phospholipase D and a brefeldin A sensitive ARF to chemoattractant induced superoxide production and secretion of human neutrophils
Journal of Leukocyte Biology 71. 695-700. IF: 4.132

P. Moskwa, M.C. Dagher, M.H. Paclet, F. Morel F and E. **Ligeti** (2002)
Participation of Rac GTPase Activating Proteins in the Deactivation of the Phagocytic NADPH Oxidase.
Biochemistry. 41. 10710-10716. IF: 4.064

- B. K. Rada, M. Geiszt, R. van Bruggen, K. Németh, D. Roos and **E. Ligeti** (2003)
Calcium signaling is altered in myeloid cells with a deficiency in NADPH oxidase activity
Clinical and Experimental Immunology 132. 53-60. IF: 2.347
- K. Káldi, Á. Kalocsai, B. K. Rada, G. Mező, G. Z. Molnár, G. Báthori and **E. Ligeti** (2003)
Degranulation and superoxide production depend on cholesterol in PLB-985 cells
Biochim.Biophys.Res.Comm. 310. 1241-1246. IF: 2.836
- P. Moskwa, A. Palicz, M.-H. Paclet, M.-C. Dagher, M. Erdős, L. Maródi and **E. Ligeti**
(2004)
Glucocerebroside Inhibits NADPH Oxidase Activation in Cell-Free System
BBA Molecular Basis of Diseases 1688. 197-203. IF : 3.046
- E. Ligeti**, M.-C. Dagher, S. Hernandez, A. J. Koleske, and J. Settleman (2004)
Phospholipids can Switch the GTPase Substrate Preference of a GTPase Activating Protein
J. Biol. Chem. 279. 5055-5058. IF : 6.355
- B. K. Rada, M. Geiszt, K. Káldi, C. Timár and **E. Ligeti** (2004)
Dual Role of Phagocytic NADPH Oxidase in Bacterial Killing.
Blood. 104. 2947-2953. IF : 9.782
- Z. Jakus, G. Berton, **E. Ligeti**, C. A. Lowell and A. Mocsai (2004)
Responses of neutrophils to anti-integrin antibodies depends on costimulation through low
affinity Fc gamma Rs: full activation requires both integrin and nonintegrin signals.
J Immunol. 173. 2068-77. IF : 6.486
- P. Moskwa, M.-H. Paclet, M.-C. Dagher and **E. Ligeti** (2005)
Autoinhibition of p50 Rho GTPase-activating protein (GAP) is released by prenylated small
GTPases
J. Biol. Chem. 280. 6716-6720. IF : 5.85
- B.K. Rada, M. Geiszt, C. Hably and **E. Ligeti** (2005)
Consequences of the electrogenic function of the phagocytic NADPH oxidase
Phil. Transaction B 360. 2293-2300. IF : 4.99
- T. DeCoursey and **E. Ligeti** (2005)
Regulation and termination of NADPH oxidase activity
Cellular and Molecular Life Sciences 62. 2173-2193. IF : 4.582
- Sirokmany G, Szidonya L, Kaldi K, Gaborik Z, **Ligeti E**, Geiszt M. (2006)
Sec14 homology domain targets p50RhoGAP to endosomes and provides a link between
Rab- and Rho GTPases.
J Biol Chem. 281. 6096-105. IF : 5.8
- Femling JK, Cherny VV, Morgan D, Rada B, Davis AP, Czirjak G, Enyedi P, England SK,
Moreland JG, **Ligeti E**, Nauseef WM, DeCoursey TE. (2006)
The antibacterial activity of human neutrophils and eosinophils requires proton channels but
not BK channels.
J Gen Physiol. 127. 659-72. IF : 4.68

Ligeti E, Settleman J. (2006)

Regulation of RhoGAP specificity by phospholipids and prenylation.
Methods Enzymol. 406. 104-17. IF : 1.64

Rada B, Hably C, Meczner A, Timár C, Lakatos G, Enyedi P, **Ligeti E**. (2008)

Role of Nox2 in elimination of microorganisms.
Semin Immunopathol. 30. 237-53. IF (2007): 4,17

Jiang W, Betson M, Mulloy R, Foster R, Lévy M, **Ligeti E**, Settleman J. (2008)

p190A RhoGAP is a glycogen synthase kinase-3- β substrate required for polarized cell migration.

J Biol Chem. 283. 20978-20988. IF (2006): 5.8

Blüml S, Rosc B, Lorincz A, Seyerl M, Kirchberger S, Oskolkova O, Bochkov VN, Majdic O, **Ligeti E**, Stöckl J. (2008)

The oxidation state of phospholipids controls the oxidative burst in neutrophil granulocytes.
J Immunol. 181. 4347-4353. IF: (2006): 6.293

Lévy M, Settleman J, **Ligeti E**. (2009)

Regulation of the Substrate Preference of p190RhoGAP by Protein Kinase C-Mediated Phosphorylation of a Phospholipid Binding Site.
Biochemistry. 48. 8615-23.

B. Könyvrészletek

A.Fonyó, A.Csillag, **E.Ligeti** and J.Ritvay (1973)

Quantitative aspects of the phosphate translocator of mitochondria as revealed by its mersalyl sensitivity

in: Mechanisms in Bioenergetics, New York, London, 347-356.

A.Fonyó, **E.Ligeti**, F.Palmieri and E.Quagliariello (1975)

Carrier mediated transport of phosphate in mitochondria

in: Biomembranes, Structure and Function, Akadémiai Kiadó, Budapest, and North Holland, Amsterdam, 287-306.

A.Fonyó, **E.Ligeti** and G.Lukács (1982)

Proton cycling through the mitochondrial phosphate transporter in energy transduction

in: Cell function and differentiation FEBS Vol. 65.

eds: G.Akoyunnoglon et al. Alan R.Liss, Inc., New York, pp. 409-422.

E.Ligeti and G.Lukács (1984)

On the role of phosphate ions in the membrane potential generation of mitochondria

Symposia Biologica Hungarica 26. pp. 117-132. Membrane dynamics and transport of normal

and tumor cells, Akadémiai Kiadó, Budapest

E.Ligeti, E.Brázda and A.Fonyó (1989)

Mitochondrial phosphate carrier: relation of its SH groups to oligomeric organization

in: Anion carriers of mitochondrial membranes

Springer Verlag, Berlin, Heidelberg pp. 123-131