

- Boussetta S., Bassinot F., Sabbatini A., Caillon N., Nouet J., Kallel N., Rebaubier H., Klinkhammer G., Labeyrie L., 2011. Diagenetic Mg-rich calcite in Mediterranean sediments: Quantification and impact on foraminiferal Mg/Ca thermometry. *Mar. Geol.* 280, 195-204.
- Guihou A., Pichat S., Nave S., Govin A., Labeyrie L., Michel E., Waelbroeck C., 2010. Late slowdown of the Atlantic meridional overturning circulation during the Last Glacial inception: New constraints from sedimentary (231Pa/230Th). *Earth Planet. Sci. Lett.* 289, 520-529.
- Schmidt S., Howa H., Mouret A., Lombard F., Anschutz P., Labeyrie L., 2009. Particle fluxes and recent sediment accumulation on the Aquitanian margin of Bay of Biscay. *Cont. Shelf Res.* 29, 1044-1052.
- Retailleau S., Howa H., Schiebel R., Lombard F., Eynaud F., Schmidt S., Jorissen F., Labeyrie L., 2009. Planktic foraminiferal production along an offshore-onshore transect in the south-eastern Bay of Biscay. *Cont. Shelf Res.* 29, 1123-1135.
- Melki T., Kallel N., Jorissen F.J., Guichard F., Dennielou B., Berné S., Labeyrie L., Fontugne M., 2009. Abrupt climate change, sea surface salinity and paleoproductivity in the Western Mediterranean Sea (Gulf of Lion) during the last 28 kyr. *Palaeogeogr. Palaeoclim. Palaeoecol.* 279, 96-113.
- MARGO project members (Waelbroeck C., Paul A., Kucera M., Rosell-Mele A., Weinelt M., Schneider R., Mix A.C., Abelmann A., Armand L., Bard E., Barker S., Barrows T.T., Benway H., Cacho I., Chen M.T., Cortijo E., Crosta X., De Vernal A., Dokken T., Duprat J., Elderfield H., Eynaud F., Gersonde R., Hayes A., Henry M., Hillaire-Marcel C., Huang C.C., Jansen E., Juggins S., Kallel N., Kiefer T., Kienast M., Labeyrie L., Leclaire H., Londeix L., Mangin S., Matthiessen J., Marret F., Meland M., Morey A.E., Multiza S., Pflaumann U., Pisias N.G., Radi T., Rochon A., Rohling E.J., Saffi L., Schafer-Neth C., Solignac S., Spero H., Tachikawa K., Turon J.L.), 2009. Constraints on the magnitude and patterns of ocean cooling at the Last Glacial Maximum. *Nature Geosci.* 2, 127-132.
- Lombard F., Labeyrie L., Michel E., Spero H.J., Lea D.W., 2009. Modelling the temperature dependent growth rates of planktic foraminifera. *Mar. Micropal.* 70, 1-7.
- Lombard F., Erez J., Michel E., Labeyrie L., 2009. Temperature effect on respiration and photosynthesis of the symbiont-bearing planktonic foraminifera *Globigerinoides ruber*, *Orbulina universa*, and *Globigerinella siphonifera*. *Limnol. Oceanogr.* 54, 210-218.
- Govin A., Michel E., Labeyrie L., Waelbroeck C., Dewilde F., Jansen E., 2009. Evidence for northward expansion of Antarctic Bottom Water mass in the Southern Ocean during the last glacial inception. *Paleoceanography* 24, PA1202, 10.1029/2008PA001603.
- Gherardi J.M., Labeyrie L., Nave S., Francois R., McManus J.F., Cortijo E., 2009. Glacial-Interglacial circulation changes inferred from 231Pa/230Th sedimentary record in the North Atlantic region. *Paleoceanography* 24, PA2204, 10.1029/2008PA001696.
- Greaves M., Caillon N., and "Mg/Ca intercalibration" team (Rebaubier H., Bartoli G., Bohaty S., Cacho I., Clarke L., Cooper M., Daunt C., Delaney M., De Menocal P., Dutton A., Eggins S., Elderfield H., Goddard E., Green D., Groeneveld J., Garbeschoenberg D., Hastings D., Hathorne E., Kimoto K., Klinkhammer G., Labeyrie L., Lea D.W., Marchitto T., Martinez-Boti M.A., Mortyn P.G., Ni Y., Nuernberg D., Paradis G., Pena L., Quinn T., Rosenthal Y., Russell A., Sagawa T., Sosdian S., Stott L., Tachikawa K., Tappa E., Thunell R., Wilson P.A.), 2008. Interlaboratory comparison study of calibration standards for foraminiferal Mg/Ca thermometry. *Geochem. Geophys. Geosyst.* 9, Q08010, 10.1029/2008GC001974.
- Cleroux C., Cortijo E., Anand P., Labeyrie L., Bassinot F., Caillon N., Duplessy J.C., 2008. Mg/Ca and Sr/Ca ratios in planktonic foraminifera: proxies for upper water column temperature reconstruction. *Paleoceanography* 23, PA3214, 10.1029/2007PA001505.
- Labeyrie L., Skinner L., Cortijo E., 2007. Paleoclimate reconstruction - Sub-Milankovitch (DI/Heinrich) events. *Encyclopedia of Quaternary Science*, Elias S.A. (Ed.), Elsevier, 1964-1974.
- Nave S., Labeyrie L., Gherardi J., Caillon N., Cortijo E., Kissel C., Abrantes F., 2007. Primary productivity response to Heinrich events in the North Atlantic Ocean and Norwegian Sea. *Paleoceanography* 22, PA3216, 10.1029/2006PA001335.
- Levi C., Labeyrie L., Bassinot F., Guichard F., Cortijo E., Waelbroeck C., Caillon N., Duprat J., De Garidel-Thoron T., Elderfield H., 2007. Low latitudes hydrological cycle and rapid climate changes during the Last Deglaciation. *Geochem. Geophys. Geosyst.* 8, Q05N12, 10.1029/2006GC001514.
- Essallami L., Sicre M.A., Kallel N., Labeyrie L., Siani G., 2007. Hydrological changes in the Mediterranean Sea over the last 30.000 years. *Geochem. Geophys. Geosyst.* 8, Q07002, 10.1029/2007GC001587.
- Beck C., Mercier de Lépinay B., Schneider J.L., Cremer M., Cagatay N., Wendenbaum E., Boutareaud S., Ménot-Combes G., Schmidt S., Weber O., Eris K., Armijo R., Meyer B., Pondard N., Gutcher M.A., and the MARMACORE Cruise Party, Turon J.L., Labeyrie L., Cortijo E., Gallet Y., Bouquerel H., Gorur N., Gervais A., Castera M.H., Londeix L., de Rességuier A., Jaouen A., 2007. Late Quaternary co-seismic sedimentation in the Sea of Marmara's deep basins. *Sedim. Geol.* 199, 65-89.
- Waelbroeck, C., et al. (2006), Distant origin of circulation changes in the Indian Ocean during the last deglaciation, *EPSL*, 243, 244-251.
- Sicre, M. A., et al. (2006), A 27 kyr terrestrial biomarker record in the southern Indian Ocean, *G-cubed*, 7, Q07014, doi:07010.01029/02005GC001234.
- Risebrobakken, B., et al. (2006), The penultimate glacial maximum and deglaciation: high-resolution paleoceanographic evidence from a north-south transect along the eastern Nordic Seas, *EPSL*, 241, 505-516.
- Mallarino, G., et al. (2006), Sea level influence on the nature and timing of a mini-basin sedimentary fill (northwestern slope of the Gulf of Mexico), *AAPG bulletin*, 90, 1089-1119.
- Labeyrie, L., et al. (2006), a snapshot today and a look to the future, *Geochem. Geophys. Geosyst.*, 7, Q03005.
- Labeyrie, L., et al. (2006), Submillennial variability of climate (Dansgaard/Oeschger and Heinrich events), in *Handbook of*

Quaternary Sciences, edited by Elsevier.

- Ding, X., et al. (2006), Distribution and ecology of planktonic foraminifera from the seas around the Indonesian Archipelago., *Mar. Micropal.*, 58, 114-134.
- Sicre, M. A., et al. (2005), Ocean-Atmosphere interactions at low latitudes: the origin of the Southern Ocean response to Northern Hemisphere Heinrich climatic events?, *EPSL*, 240.
- Nave, S., et al. (2005), Primary productivity response to abrupt climatic changes (Heinrich Events) at the northern North Atlantic, *Paleoceanography*, soumis.
- Nave, S., et al. (2005), Impact of Heinrich Events on productivity in the area of maximum deposition of ice-rafted detritus (Ruddiman Belt), *Q. S. R.*, soumis.
- Labeyrie, L., et al. (2005), Changes in deep water hydrology during the Last Deglaciation, *C.R. Geosciences*, 337, 919-927.
- Labeyrie, L., and J. Jouzel (2005), Sur les traces d'anciens zigzags climatiques, *La Recherche (Dossiers)*, 17, 23-25.
- Gherardi, J.-M., et al. (2005), Evidence from the North Eastern Atlantic Basin for Variability of the Meridional Overturning Circulation through the last Deglaciation., *EPSL*, 240, 710-723.
- Duplessy, J. C., et al. (2005), Paleooceanography of the Barents Sea during the Holocene, *Paleoceanography*, submitted.
- Cortijo, E., et al. (2005), Heinrich events: hydrological impact, *C. R. Geoscience*, 337, 897-904.
- Székely, N., et al. (2004), Over-Sampling of Sedimentary Series Collected by Giant Piston Corer : Evidences and Corrections based on 3.5 kHz Chirp p Profiles, *Paleoceanography*, 19, doi.1029/2002PA000795.
- Lutringer, A., et al. (2004), Deep-sea coral: a tool to reconstruct changes of intermediate water masses., in *Deep-water corals and ecosystem*, edited by Elsevier.
- Laj, C., and L. Labeyrie (2004), MD132/P.I.C.A.S.S.O.-IMAGES X1 2003, Institut Polaire Français Paul-Emile Victor, Brest.
- Labeyrie, L., et al. (2004), Changements abrupts dans un monde glaciaire, *C.R. Geosciences*, 336, 721-732.
- Kallel, N., et al. (2004), Mediterranean sea palaeohydrology and pluvial periods during the Late Quaternary, in *Past climate variability through Europe and Africa*, edited by R. W. Battarbee, et al., pp. 307-324, Springer.
- Crusius, J., et al. (2004), Influence of northwest Pacific productivity on North Pacific Intermediate Water oxygen concentrations during the Bølling-A°llerød interval (14.7–12.9 ka), *Geology*, 32, 633-636.
- Bassinot, F., et al. (2004), Crystallinity of foraminifera shells : A proxy to reconstruct past bottom water CO₃= changes ?, *Geochemistry Geophysics Geosystems*, 5, doi.1029/2003GC000668.
- Labeyrie, L., et al. (2003), MD114/IMAGES V à bord du Marion Dufresne, 1999, Institut Polaire Français Paul-Emile Victor, Brest.
- Waelbroeck, C., et al. (2002), Sea-level and deep water temperature changes derived from benthic foraminifera isotopic records, *Q. S. R.*, 21, 295-306.
- Waelbroeck, C., and L. Labeyrie (Eds.) (2002), *Deep Sea Records of Past Climatic Variability*, in press pp., EDP Sciences, Les Ulis.
- Labeyrie, L., et al. (2002), The history of climate dynamics in the Late Quaternary, in *Paleoclimates, Global Change and the Future*, edited by R. B. Keith Alverson, and Thomas Pedersen, pp. 33-62, Springer, Berlin.
- Elliot, M., et al. (2002), Changes in North Atlantic deep-water formation associated with the Dansgaard-Oeschger temperature oscillations (10-60 ka), *Q. S. R.*, 21, 1153-1165.
- Duplessy, J. C., et al. (2002), Constraints on the ocean oxygen isotopic enrichment between the last glacial maximum and the Holocene: Paleooceanographic implications, *Q.S.R.*, 21, 315-330.
- Waelbroeck, C., et al. (2001), The timing of the last deglaciation in North Atlantic climate records, *Nature*, 412, 724-727.
- Villanueva, J., et al. (2001), A latitudinal productivity band in the central North Atlantic over the last 270 kyr: An alkenone perspective, *Paleoceanography*, 16, 617-625.
- Schilman, B., et al. (2001), Long- and short-term carbon fluctuations in the Eastern Mediterranean during the late Holocene, *geology*, 29, 1099-1102.
- Mercier de Lépinay, B., and L. Labeyrie (2001), MD123/MARMACORE/Géosciences 2001, Institut Polaire Français Paul-Emile Victor, Brest.
- Koç, N., et al. (2001), The last occurrence of *Proboscia curvirostris* in the North Atlantic marine isotope stages 9-8, *Marine Micropaleontology*, 41, 9-23.
- Jedoui, Y., et al. (2001), Variabilité climatique rapide lors du dernier Interglaciaire (stade isotopique marin 5e) enregistrée dans les sédiments littoraux du Sud-est tunisien, *C.R. Acad. Sci. Paris, Sciences de la Terre*, 333, 733-740.
- Elliot, M., et al. (2001), Coherent patterns of ice rafted debris deposits in the Nordic regions during the last glacial (10-60 ka), *Earth & Planetary Science Letters*, 194, 151-163.
- Calvo, E., et al. (2001), New insights into the glacial latitudinal temperature gradients in the North Atlantic; results from Uk'37 sea surface temperatures and terrigenous gradients, *E.P.S.L.*, 188, 509-519.
- Duplessy, J. C., et al. (2001), Holocene paleoceanography of the Northern Barents Sea and variations of the northward heat transport by the Atlantic Ocean, *Boreas*, 30, 2-16.
- Labeyrie, L. (2000), Glacial Climate Instability, *Science*, 290, 1905-1907.
- Kallel, N., et al. (2000), Mediterranean pluvial periods and sapropel formation over the last 200 000 years, *Paleogeography, Paleoclimatology, Paleoecology*, 157, 45-58.
- Grousset, F., et al. (2000), Were the North Atlantic Heinrich events triggered by the behavior of the European ice sheets, *Geology*, 28, 123-126.
- Giraudeau, J., et al. (2000), Coccolith evidence for instabilities in surface circulation south of Iceland during Holocene times, *EPSL*, 179, 257-268.
- Cortijo, E., et al. (2000), Rapid climatic variability of the North Atlantic Ocean and global climate: a focus of the IMAGES program, *Quaternary Science Reviews*, 19, 227-241.

Rasmussen, T. L., et al. (1999), Climate records and changes in deep outflow from the Norwegian Sea, 150-55 ka, *Terra Nova*, 11, 61-66.

Paterne, M., et al. (1999), Hydrological relationship between the North Atlantic Ocean and the Mediterranean Sea during the past 15-75 ka, *Paleoceanography*, 14, 626-638.

Labeyrie, L., et al. (1999), Temporal Variability of the surface and deep waters of the North West Atlantic ocean at orbital and millennial scales, in *Mechanisms of Global Climate Change at millennial Time scales.*, edited by P. Clark, et al., pp. 77-98, AGU, Washington.

Labeyrie, L., and J. Jouzel (1999), Les soubresauts millénaires du climat, *La Recherche*, 321, 60-61.

Labeyrie, L., and M. Elliot (1999), Abrupt climatic changes – causes and consequences : an introduction, in *Reconstructing Ocean History: a Window into the Future*, edited by F. A. A. Mix, p. sous presse, Plenum Publishing.

Kissel, C., et al. (1999), Magnetic signature of rapid climatic variations in North Atlantic sediments, in *Reconstructing Ocean History: a Window into the Future*, edited by F. A. A. Mix, Plenum Publishing.

Kissel, C., et al. (1999), Rapid climatic variations during marine isotopic stage 3: magnetic analysis of sediments from Nordic Seas and North Atlantic, *Earth and Planetary Science Letters*, 171, 489-502.

Cortijo, E., et al. (1999), Changes in meridional temperature and salinity gradients in the North Atlantic Ocean (30° to 72°N) during the Last Interglacial Period, *Paleoceanography*, 14, 23-33.

Cortijo, E., et al. (1999), Eemian hydrological changes in the North Atlantic Ocean, in *Reconstructing Ocean History: a Window into the Future*, edited by F. A. A. Mix, Plenum Publishing.

Bout-Roumazielles, V., et al. (1999), Clay mineral evidences of nepheloid contribution to the Heinrich layers in the Northwest Atlantic, *Palaeogeogr., Palaeoclim., Palaeoecol.*, 146, 211-228.

Blamart, D., et al. (1999), Geochemical (Major Elements) Study of IMAGES Core MD 95-2009 in Relation With Deep Water Circulation Variability in the Southern Norwegian Sea During the Last Climatic Cycle., *EOS*, Vol 80, 12.

Waelbroeck, C., et al. (1998), Improving paleoSST estimates based on planktonic fossil faunas, *Paleoceanography*, 13, 272-283.

Villanueva, J., et al. (1998), Precessional forcing of productivity in the North Atlantic Ocean, *Paleoceanography*, 13, 561-571.

Villanueva, J., et al. (1998), Assessment of sea surface temperature variations in the central North Atlantic using the alkenone unsaturation index (UK'37), *Geochim. Cosmochim. Acta*, 62, 2421-2427.

Vidal, L., et al. (1998), Benthic $\delta^{18}O$ records in the North Atlantic over the last glacial period (60-10 kyr): evidence for brine formation, *Paleoceanography*, 13, 245-251.

Koç, N., et al. (1998), High resolution pleistocene diatom biostratigraphy of site 983 and correlations to isotope stratigraphy, in *Proc. ODP Sci. results*, 162, edited by E. Jansen, et al., Ocean Drilling Program, College Station, TX.

Kallel, N., et al. (1998), Evolution des températures et des salinités de surface du Déroit siculo-tunisien pendant les derniers 18.000 ans, *Notes du Service Géologique de Tunisie*, 64, 69-84.

Elliot, M., et al. (1998), Millennial scale iceberg discharges in the Irminger Basin during the last glacial period: relationship with the Heinrich events and environmental settings, *Paleoceanography*, 13, 433-446.

Duplessy, J.-C., et al. (1998), Le carbone 14 : progrès récents et limitations de la méthode de datation. In: *Hydrologie et géochimie isotopique*, in *Hydrologie et géochimie isotopique*, ouvrage édité à la mémoire de J.-C. Fontes, edited by C. C. e. F. Gasse, pp. 229-250, ORSTOM Editions, Paris.

Bout-Roumazielles, V., et al. (1998), Nd-Sr-Pb evidence of glacial-interglacial variations in clay provenance and transport in the North Atlantic ocean, *Limeral. Mag.*, 62A, 215-216.

Bareille, G., et al. (1998), Glacial-Interglacial changes in the accumulation rates of major biogenic components in Southern Indian Ocean sediments, *Jour. Marine Systems*, 17, 527-539.

Villanueva, J., et al. (1997), A biomarker approach to the organic matter deposited in the North Atlantic during the Last Climatic cycle, *Geochim. Cosmochim. Acta*, 61, 4633-4646.

Vidal, L., et al. (1997), Evidence for changes in the North Atlantic Deep Water linked to meltwater surges during the Heinrich events, *Earth and Planetary Science Letters*, 146, 13-26.

Rozenhal, Y., et al. (1997), Last Glacial Maximum paleochemistry and deep water circulation in the Southern Ocean : Evidence from Foraminifera Cadmium, *Paleoceanography*, 12, 787-796.

Rasmussen, T. L., et al. (1997), Climatic instability, ice sheets and ocean dynamics at high northern latitudes during the last glacial period (58-10 ka BP), *Quaternary Science Reviews*, 16, 71-80.

Labeyrie, L. (1997), Le programme IMAGES et la variabilité rapide du climat et de la circulation océanique, in *Lettre pigb-pmrc France*, edited, pp. 4-10.

Labeyrie, L. (1997), IMAGES, ocean coring and scientific cooperation efforts, in *Pages Newsletter*, edited, pp. 8-16.

Kissel, C., et al. (1997), Changes in the strength of the Iceland-Scotland Overflow Water in the last 200,000 years: Evidence from magnetic anisotropy analysis of core SU90-33, *E.P.S.L.*, 152, 25-36.

Kallel, N., et al. (1997), Temperature and salinity records of the Tyrrhenian Sea during the last 18 000 years, *Palaeogeography, Palaeoclimatology, Palaeoecology*, 135, 97-108.

Kallel, N., et al. (1997), Enhanced rainfall in the mediterranean region during the last sapropel event, *Oceanologica Acta*, 20, 697-712.

Juillet-Leclerc, A., et al. (1997), Modern and Last Glacial Maximum Sea Surface $\delta^{18}O$ estimated from an Isotopic General Circulation Model of the Atmosphere: Some paleoceanographical Implications, *E.P.S.L.*, 146, 591-605.

François, R., et al. (1997), Contribution of Southern Ocean surface-water stratification to low atmospheric CO₂ concentrations during the last glacial period, *Nature*, 389, 929-935.

Cortijo, E., et al. (1997), Changes in sea surface hydrology associated with heinrich event 4 in the North Atlantic Ocean between 40° and 60°N, *E.P.S.L.*, 146, 29-45.

Cortijo, E., et al. (1997), Sea surface temperature reconstructions during the Heinrich event 4 between 30 and 40kyr in the

North Atlantic Ocean., *Earth and Planetary Science Letters*, 146, 29-45.

Cortijo, E., et al. (1997), The last glacial period : rapid changes in air temperature and ocean hydrology, *PAGES Highlights*, *PAGES Newletters*, 5, 15-16, 1997, 5, 15-16.

Bout-Roumazeilles, V., et al. (1997), Latitudinal control of astronomical forcing parameters on the high resolution clay mineral distribution in the 45° to 60° N range of the North Atlantic Ocean during the past 300 000 years, *Paleoceanography*, 12, 671-686.

Beaufort, L., et al. (1997), Insolation Cycles as a Major Control of Equatorial Indian Ocean Primary Production, *Science*, 278, 1451-1454.

Bassinot, F., et al. (1997), Changes in the dynamics of western equatorial Atlantic surface currents and biogenic productivity at the "mid pleistocene revolution" (env 930 ka): Leg 154, Ceara rise, in *Proceedings of the Ocean Drilling Program, scientific results*, edited by N. J. Shackleton, et al., pp. 269-284.

Van Weering, T. C. E., et al. (Eds.) (1996), *Ice Rafting and Paleoceanography of the Northeast Atlantic Ocean*, 121 pp., Elsevier, Amsterdam.

van Weering, T. C. E., et al. (1996), *Paleoceanography of the North Atlantic Region*, *Marine Geology*, 131, 1-3.

Revel, M., et al. (1996), Grain-Size and Sr-Nd Isotopes as tracer of paleo-bottom current strength, NE Atlantic, *Marine Geology*, 131, 233-249.

Rasmussen, T. L., et al. (1996), High resolution stratigraphy of the Faeroe-Shetland channel and its relation to North Atlantic paleoceanography: the last 87 kyr, *Marine Geology*, 131, 75-88.

Rasmussen, T. L., et al. (1996), Rapid changes in surface and deep water conditions at the Faeroe Margin during the last 58,000 years, *Paleoceanography*, 11, 757-771.

Rasmussen, T. L., et al. (1996), Circulation changes in the Faeroe-Shetland Channel correlating with cold events during the last glacial period, *Geology*, 24, 937-940.

Pflaumann, U., et al. (1996), SIMMAX, a modern analog technique to deduce Atlantic sea surface temperatures from Planktonic foraminifera in deep sea sediments, *Paleoceanography*, 11, 15-35.

Paillard, D., et al. (1996), AnalySeries 1.0: a Macintosh software for the analysis of geophysical time-series, *E.O.S.*, 77, 379.

Paillard, D., et al. (1996), Macintosh program performs time-series analysis, *EOS*, 77, 379.

Massé, L., et al. (1996), Sediment flux distribution in the Southern Brazil Basin during the late quaternary: the role of deep sea currents, *Sedimentology*, 43, 115-132.

Martinez, P., et al. (1996), Biogeochemical response of the Northwest Africa upwelling system to late Quaternary climatic changes: 1 evidence for a system made of local peculiarities, paper presented at *Organic geochemistry: developments and applications to energy, climate, environment and human history*, Itxaso Estornès, Donostia-San Sebastian.

Lehman, B., et al. (1996), Relative changes of the geomagnetic field intensity during the last 285,000 years obtained from piston cores in the Azores area, *Phys. Earth Planet. Inter.*, 93, 269-284.

Labeyrie, L., et al. (1996), Le programme IMAGES et la campagne de carottages géants du Marion-Dufresne en Atlantique nord, *Rapport annuel, IFRTP*.

Labeyrie, L., et al. (1996), Hydrographic changes of the Southern Ocean (south-east Indian sector) over the last 230 ka., *Paleoceanography*, 11, 57-76.

Labeyrie, L., et al. (1996), corrections to "Hydrographic changes of the Southern Ocean (south-east Indian sector) over the last 230 ka", *Paleoceanography*, 11, 813-814.

Koç, N., et al. (1996), Late glacial-Holocene sea surface temperatures and gradients between the north Atlantic and the Norwegian Sea: Implications for the Nordic heat pump, in *The Late Glacial paleoceanography of the North Atlantic margins*, edited by J. T. Andrews, et al., pp. 177-185, Geological Society Special Publication.

Duplessy, J. C., et al. (1996), High latitude deep water sources during the last glacial maximum and the intensity of the global oceanic circulation, in *The South Atlantic, Past and present*, edited by B. W. Wefer G., Siedler, G., Weff DJ., pp. 445-460, Springer-Verlag, Berlin, Heidelberg.

Duplessy, J. C., et al. (1996), North Atlantic sea surface conditions during the Younger Dryas cold event, in *The Late Glacial paleoceanography of the North Atlantic margins*, edited by J. T. Andrews, et al., pp. 167-175, Geological Soc. Spec. Publ.

Bassinot, F., and L. Labeyrie (1996), *IMAGES MD101 à bord du Marion Dufresne, du 29 mai au 11 Juillet 1995*, 217 pp, Institut Français pour la Recherche et la Technologie Polaire, Brest.

Weeks, R. J., et al. (1995), Normalized natural remanent magnetisation intensity during the last 240 000 years in piston cores from the central North Atlantic Ocean : geomagnetic field intensity or environmental signal?, *Physics of the Earth and Planetary Interior*, 87, 213-229.

Waelbroeck, C., et al. (1995), Comparing the Vostok ice deuterium record and series from Southern Ocean core MD 88-770 over the last two glacial-interglacial cycles, *Climate Dynamics*, 12, 113-123.

Villanueva, J., et al. (1995), Geochemical Assessment of C37 ketone sedimentary fluxes as indicators of productivity variations in the glacial interglacial oceans, in *Organic geochemistry: Developments and applications to energy, climate, environment and human history*, edited by J. O. Grimalt and C. Dorronsoro, pp. 809-812, A.I.G.O.A., Donostia-San Sebastian.

Sarnthein, M., et al. (1995), Variations in Atlantic surface ocean paleoceanography, 50°-80°N: A time-slice record of the last 30,000 years, *Paleoceanography*, 10, 1063-1094.

Rosenthal, Y., et al. (1995), Glacial enrichments of authigenic Cd and U in sub-Antarctic Sediments: A climatic control on the Elements Oceanic Budget?, *Paleoceanography*, 10, 395-413.

Michel, E., et al. (1995), Could deep Subantarctic convection feed the world deep basins during the last glacial maximum?, *Paleoceanography*, 10, 927-942.

Labeyrie, L., et al. (1995), Surface and deep hydrology of the northern Atlantic Ocean during the last 150,000 years, *Philosophical Transaction of Royal Society of London*, 348, 255-264.

Cortijo, E., et al. (1995), Sedimentary record of rapid climatic variability in the North Atlantic Ocean during the last glacial cycle, *Paleoceanography*, 10, 911-926.

Cortijo, E., et al. (1995), Etude de la variabilité climatique à haute résolution dans des sédiments de l'Atlantique Nord., *Comptes-Rendus de l'Académie des Sciences de Paris*, 321, 231-238.

Cortijo, E., et al. (1995), Ciclo climático: Variaciones en el Atlántico Norte, *Investigacion y Ciencia* (Spanish edition of the *Scientific American*), 38-40.

Boyle, E. A., et al. (1995), Calcitic foraminiferal data confirmed by cadmium in aragonitic *Hoeglundina*: application to the last glacial maximum in the northern Indian Ocean, *Paleoceanography*, 10, 881-900.

Ahmad, S. M., et al. (1995), Late quaternary paleoceanography of the Banda Sea, *Marine Geology*, 122, 385-397.

Zahn, R., et al. (Eds.) (1994), *Carbon Cycling in the Glacial Ocean: Constraints on the Ocean's Role in Global Change*, 580 pp., Springer-Verlag, Berlin.

Sarnthein, M., et al. (1994), Changes in east Atlantic deep water circulation over the last 30,000 years : Eight time slice reconstructions, *Paleoceanography*, 9, 209-267.

Rostek, F., et al. (1994), Fluctuations of the Indian monsoon regime during the last 170,000 years: evidence from sea surface temperature, salinity and organic carbon records, in *Global Precipitations and Climate Change*, edited by M. Desbois.

Pisias, N., et al. (1994), IMAGES, International Marine Global Change Study, a marine component to the PAGES/PANASH project, PAGES workshop report.

Pichon, J. J., et al. (1994), Connections océan-glace et comparaisons inter-hémisphériques de la climatologie des hautes latitudes durant le dernier cycle climatique, in *Recherches Polaires, une stratégie pour l'an 2000*, edited by A. d. Sciences, pp. 209-215, Paris.

Paillard, D., and L. D. Labeyrie (1994), Role of the thermohaline circulation in the abrupt warming after Heinrich events, *Nature*, 372, 162-164.

McManus, J. F., et al. (1994), High-resolution climate records from the North Atlantic during the last interglacial, *Nature*, 371, 326-329.

Gendrin, R., and L. Labeyrie (1994), Les sédiments marins et la paléocéanographie, *Atmosphère et Climat*, 46/47, 22-23.

Fontugne, M., et al. (1994), Palaeoenvironment, sapropel chronology and Nile river discharge during the last 20,000 years as indicated by deep sea sediment records in the Eastern Mediterranean, in *Late Quaternary Chronology and Paleoclimates of Eastern Mediterranean*, edited by O. B. Y. a. R. Kra, pp. 75-88.

Duplessy, J. C., et al. (1994), A new method to reconstruct sea surface salinity : application to the northern Atlantic ocean during the Younger Dryas, in *The Last Deglaciation : Absolute and Radiocarbon Chronologies*, edited by E. B. a. W. Broecker, pp. 201-218, Springer-Verlag, Berlin.

Duplessy, J. C., and L. D. Labeyrie (1994), Les instabilités du climat de la Terre: à quelle vitesse le climat peut il changer, *Clefs CEA*, 28, 36-48.

Duplessy, J. C., and L. Labeyrie (1994), Surface and deep water circulation changes during the last climatic cycle, in *Long-term climatic variations*, edited by J. C. Duplessy and M. T. Spyridakis, pp. 277-298, Springer-Verlag, Berlin.

Cortijo, E., et al. (1994), Eemian cooling in the Norwegian Sea and North Atlantic ocean preceding continental ice-sheet growth, *Nature*, 372, 446-449.

Bender, M., et al. (1994), The Dole effect and its variations during the last 130,000 years as measured in the Vostok ice core, *Global Biogeochemical Cycles*, 8, 363-376.

Bassinot, F. C., et al. (1994), Coarse fraction fluctuations in pelagic carbonate sediments from the tropical Indian ocean : a 1,500 Kyr record of carbonate dissolution, *Paleoceanography*, 9, 579-600.

Bassinot, F., et al. (1994), The Astronomical Theory of climate and the age of the Brunhes-Matuyama magnetic reversal, *E.P.S.L.*, 126, 91-108.

Bareille, G., et al. (1994), Origin of high glacial detrital fluxes in the Southeastern Indian Ocean, *Paleoceanography*, 9, 799-819.

Bard, E., et al. (1994), The North Atlantic atmosphere-sea surface $\delta^{14}C$ gradient during the Younger Dryas climatic event, *Earth and Planetary Science Letters*, 126, 275-287.

Ahmad, S. M., and L. Labeyrie (1994), Glacial to holocene $\delta^{13}C$ variations in intermediate depth water masses of North Indian Ocean, *Geo-Marine Letters*, 14, 36-40.

White, J., et al. (1993), How reliable and consistent are paleodata from continents, oceans, and ice?, in *Global Changes in the perspectives of the Past*, edited by J. A. Eddy and H. Oeschger, pp. 73-102, John Wiley & Sons, Chichester.

Webb, T., et al. (1993), Use of Paleoclimatic data as analogs for understanding future Global Changes, in *Global Changes in the perspectives of the Past*, edited by J. A. Eddy and H. Oeschger, pp. 51-70, John Wiley & Sons, Chichester.

Webb III, T., et al. (1993), Group report: Paleoclimatic data as analogs for understanding future global changes, in *Global changes in the perspective of the past*, edited by J. A. Eddy and H. Oeschger, pp. 51-71, John Wiley & Sons Ltd.

Sowers, T., et al. (1993), A 135000-year Vostok-Specmap common temporal framework, *Paleoceanography*, 8, 737-766.

Rostek, F., et al. (1993), Reconstructing sea surface temperature and salinity using $\delta^{18}O$ and alkenone records, *Nature*, 364, 319-321.

Paterne, M., et al. (1993), North Atlantic sea-surface salinity, ice melting and abrupt climatic changes, in *Ice in the Climate system*, edited by W. R. Peltier, pp. 623-631, Springer-Verlag, Berlin Heidelberg.

Paillard, D., and L. D. Labeyrie (1993), A "user-friendly" Macintosh software for rapid correlations of paleoclimatic signals and treatments, Report, Centre des Faibles Radioactivités PNEDC/INSU.

Labeyrie, L., et al. (1993), Ocean circulation and global climatic changes over the last three interglacials, paper presented at *Climate Change and Impacts*, European Commission, Copenhagen.

Grousset, F. E., et al. (1993), Patterns of ice-rafted detritus in the glacial North Atlantic (40-55°N), *Paleoceanography*, 8, 175-211.

François, R., et al. (1993), Glacial/interglacial changes in sediment rain rate in the s.w. Indian sector of subantarctic waters as recorded by ^{230}Th , ^{231}Pa , U and $\delta^{15}\text{N}$, *Paleoceanography*, 8, 611-629.

Duplessy, J. C., et al. (1993), Global changes over the last 30 000 years, paper presented at Climate Change and Impacts, European Commission, Copenhagen.

Duplessy, J. C., et al. (1993), Oxygen isotope records and salinity changes in the Northeastern Atlantic ocean during the last 18 000 years, *Paleoceanography*, 8, 341-350.

Caralp, M.-H., et al. (1993), Evolution paléohydrologique des eaux intermédiaires déduite d'une carotte d'âge quaternaire récent dans le canal du Mozambique. Apports des analyses isotopiques et microfauniques, *Bulletin de la Société géologique de France*, 164, 301-312.

Bond, G., et al. (1993), Correlations between climate records from North Atlantic sediments and Greenland ice, *Nature*, 365, 143-147.

Berger, A., et al. (1993), Global ice sheets during the last two climatic cycles, with an emphasis on entering into glaciation, paper presented at Climate Change and Impacts, Copenhagen.

Tric, E., et al. (1992), Paleointensity of the geomagnetic field during the last 80 000 yrs, *JGR*, 97, 9337-9351.

Pichon, J. J., et al. (1992), Surface water temperature changes in the high latitudes of the southern hemisphere over the last glacial-interglacial cycle, *Paleoceanography*, 7, 289-318.

Pichon, J. J., et al. (1992), Quantification of the biogenic silica dissolution in Southern Ocean sediments, *Quaternary Research*, 37, 361-378.

Labeyrie, L. D., et al. (1992), Changes in the vertical structure of the north Atlantic ocean between glacial and modern times, *Quaternary Science Reviews*, 11, 401-413.

Duplessy, J. C., et al. (1992), Changes in surface salinity of the North Atlantic Ocean during the last deglaciation, *Nature*, 358, 485-487.

Duplessy, J. C., and L. Labeyrie (1992), The Norwegian Sea record of the last interglacial to glacial transition, in *Start of a glacial*, edited by G. J. Kukla and E. Went, pp. 173-183, Springer-Verlag, Berlin.

Duplessy, J. C., et al. (1992), Glacial to interglacial changes in Ocean circulation, in *Radiocarbon after four decades : an interdisciplinary perspective*, edited by R. E. Taylor, et al., pp. 62-74, Springer, New-York.

Bond, G., et al. (1992), Evidence for massive discharges of icebergs into the glacial north Atlantic, *Nature*, 360, 245-249.

Labeyrie, L. D., et al. (1991), Sea level and oceanic thermohaline circulation : changes over a glacial/interglacial cycle, in *Klimageschichtliche Probleme der letzten 130 000 Jahre*, edited by F. B., pp. 197-214, Fisher-Verlag, Stuttgart.

Juillet-Leclerc, A., et al. (1991), Temperature variability in the Gulf of California during the last century : a record of the recent strong El Nino, *G.R.L.*, 18, 1889-1892.

Hald, M., et al. (1991), Late Quaternary Paleocyanography in the Southern Barents Sea, *Norsk Geologisk Tidsskrift*, 71, 141-144.

Duplessy, J. C., et al. (1991), Surface salinity reconstruction of the north Atlantic ocean during the last glacial maximum, *Oceanologica Acta*, 14, 311-324.

Duplessy, J. C., et al. (1991), How fast did the ocean-atmosphere system run during the last deglaciation?, *Earth and Planetary Sciences Letters*, 103, 27-40.

Bareille, G., et al. (1991), Biogenic silica accumulation rate during the Holocene in the Southeastern Indian Ocean, *Marine Chemistry*, 35, 537-551.

Shackleton, N. J., et al. (1990), Contributions from the oceanic record to the study of global change in three time scales, *Global and Planetary Changes*, 82, 5-37.

Labeyrie, L. D., et al. (1990), Variabilité des eaux intermédiaires et profondes dans l'océan Pacifique nord ouest pendant la dernière déglaciation, *Oceanologica Acta*, 10 (sp.), 329-339.

Labeyrie, L. D., and C. Jeandel (1990), Geochemical variability in the oceans, ice, and sediments : an introduction, *Global and Planetary Change*, 3, 1-3.

Labeyrie, L. D. (1990), Campagnes Estase 1 et 2 : Paleoclimatologie, Paleovolcanisme et Hydrothermalisme le long de la marge Est-Asiatique, *Oceanologica Acta*, sp n°10, 100-106.

Labeyrie, L. D. (1990), Paléo-océanographie, *Oceanologica Acta*, sp n° 10, 293-294.

Guiot, J., and L. Labeyrie (Eds.) (1990), Quantification des changements climatiques: methodes et programmes.

Gayet, J., et al. (1990), Impact de la transgression holocène sur la sédimentation dans le détroit de Makassar, *Oceanologica Acta*, sp n° 10, 321-327.

Bard, E., et al. (1990), The last deglaciation in the Southern Ocean and Northern Hemisphere: a comparison based on oxygen isotope, sea surface temperature estimates, and accelerator ^{14}C dating from the deep-sea sediments, in *Geological History of the Polar Ocean: Arctic versus Antarctic*, edited by U. Bleil and J. Thiede, pp. 405-415.

Labracherie, M., et al. (1989), The last deglaciation in the Southern Ocean, *Paleoceanography*, 4, 629-638.

Heckinian, R., et al. (1989), Volcanics from the South China Sea Ridge system, *Oceanologica Acta*, 12, 177-185.

Duplessy, J. C., and L. D. Labeyrie (1989), Global ocean circulation during the Last Ice Age : Enhanced Intermediate Water Formation and Reduced Deep water Circulation, in *Oceanography 1988*, edited by W. W. a. Y.-A. A. Ayala-Castanares, pp. 81-86, UNAM press, Mexico.

Duplessy, J. C., et al. (1989), Intermediate and Deep water characteristics during the last Glacial Maximum, in *Climate and Geosciences*, edited by A. e. a. Berger, pp. 105-120, Kluwer academic publishers.

Duplessy, J. C., et al. (1989), AMS ^{14}C study of transient events and of the ventilation rate of the Pacific intermediate water during the last deglaciation, *Radiocarbon*, 31, 493-502.

Bard, E., et al. (1989), AMS- ^{14}C ages measured in deep sea cores from Southern Ocean: implications for the sediment rates during isotopes Stages 2, *Quaternary Research*, 31, 309-317.

Paterne, M., et al. (1988), Explosive activity of the south Italian volcanoes during the past 80.000 years as determined by marine tephrochronology, *Journal of Volcanology and Geothermal Research*, 34, 153-172.

Lumley(de), H., et al. (1988), Découverte d'outils taillés à des faunes du Pléistocène moyen dans la Toca da Esperança, Etat de Bahia, Brésil, *Académie des Sciences*, 306 série II, 241-247.

Kallel, N., et al. (1988), A deep hydrological front between intermediate and deep-water masses in the glacial Indian Ocean, *Nature*, 333, 651-655.

Kallel, N., et al. (1988), Evidence of cooling during the Younger Dryas in the western North Pacific, *Oceanol. Acta*, 11, 369-375.

Duplessy, J. C., et al. (1988), Deepwater source variations during the last climatic cycle and their impact on the global deepwater circulation, *Paleoceanography*, 3, 343-360.

Duplessy, J. C., et al. (1988), Norwegian Sea deep-water variations over the last climatic cycle: paleoceanographical implications, in *Long and Short Term Variability of Climate*, edited by H. Wanner and U. Siegenthaler, pp. 83-116, Springer-Verlag, Berlin.

Curry, W. B., et al. (1988), Changes in the distribution of $\delta^{13}C$ of deep water SCO_2 between the last glaciation and the Holocene, *Paleoceanography*, 3, 317-341.

Yin, J., et al. (1987), Clay mineralogy of slope sediments around the Japanese Islands, *Geoscience Rep. Shizuoka University*, 13, 41-65.

Pichon, J. J., et al. (1987), Transfer functions between diatom assemblages and surface hydrology in the Southern Ocean, *Paleogeogr., Paleoclimatol., Paleoecol.*, 61, 79-95.

Lumley(de), H. e. M.-A., et al. (1987), Présence d'outils taillés associés à une faune quaternaire datée du Pléistocène moyen dans la Toca da Esperança, région de central, état de Bahia, Brésil, *L'Anthropologie*, 91, 917-942.

Lapicque, G., et al. (1987), Interpretation of $^{239,240}Pu$ in Atlantic sediments with a non-steady state input model, *Deep-Sea-Research*, 34, 1841-1850.

Labracherie, M., et al. (1987), Les diatomées et les événements climatiques des 150,000 dernières années: applications de fonctions transfert aux diatomées de l'Océan Austral, *Bull. Soc. géol. France*, 8, 453-464.

Labeyrie, L. D., et al. (1987), Variations in mode of formation and temperature of oceanic deep waters over the past 125,000 years, *Nature*, 327, 477-482.

Juillet-Leclerc, A., and L. D. Labeyrie (1987), Temperature dependence of the oxygen isotopic fractionation between diatom silica and water., *E.P.S.L.*, 84, 69-74.

Berger, W., and L. Labeyrie (Eds.) (1987), *Abrupt climatic change : Evidence and Implications*, 425 pp., D. Reidel, Dordrecht.

Berger, W., and L. Labeyrie (1987), *Abrupt climatic change : an introduction*, in *Abrupt climatic change : Evidence and Implications*, edited by W. Berger and L. Labeyrie, pp. 3-22, D. Reidel, Dordrecht.

Belviso, S., et al. (1987), Deep methane maxima and helium-3 anomalies across the Pacific entrance to the Celebes Basin, *Geochim. Cosmochim. Acta*, 51, 2673-2680.

Paterne, M., et al. (1986), Tyrrhenian sea tephrochronology of the oxygen-isotope record for the past 60,000 years, *Mar. Geol.*, 72, 259-285.

Labeyrie, L. D., et al. (1986), Melting history of Antarctica during the past 60,000 years, *Nature*, 322, 701-706.

Sancetta, C., et al. (1985), Wisconsin-Holocene paleoenvironment of the Bering Sea : evidence from diatoms, pollens, oxygen isotopes and clay minerals, *Mar. Geol.*, 62, 55-68.

Okada, H., et al. (1985), Submarine Geologic structure of the Eastern Margin of the Sea of Japan with special reference to the Nascent Trench problem, *Geoscience Rep. Shizuoka University*, 11, 119-133.

Lallemant, S., et al. (1985), Tectonique en compression sur la marge Est de la mer du Japon : mise en évidence de chevauchements à vergence orientale, *C. R. Acad. Sci.*, 301, II, 201-206.

Labeyrie, L. D., and J. C. Duplessy (1985), Changes in the oceanic $^{13}C/^{12}C$ ratio during the last 140,000 years: high-latitude surface records, *Paleogeogr., Paleoclimatol., Paleoecol.*, 50, 217-240.

Bender, M., et al. (1985), Isotopic composition of atmospheric O_2 in ice linked with deglaciation and global primary productivity, *Nature*, 318, 349-352.

Lalou, C., et al. (1984), Les dépôts hydrothermaux de la Dorsale Est Pacifique, radiochronologie des sulfures et géochimie isotopique des dépôts de silice, *Bull. Soc. Geol. France.*, (7) XXVI, 9-14.

Labracherie, M., et al. (1984), Biostratigraphic and sedimentologic data between 35° and 65° S. on a transect from South Africa to Weddell Sea: Preliminary results of the MD31/APSARA I cruise aboard the N.O. "Marion Dufresne", *Bull. Inst. Geol. Bassin d'Aquitaine*, 36, 21-36.

Labeyrie, L. (1984), Paléoclimatologie, des squelettes d'organisme marins pour reconstruire le climat, *Echos du CEA*, 2, 8-11.

Escande, M., et al. (1984), Etude expérimentale de l'échangeabilité des isotopes de l'oxygène des smectites, *C. R. Acad. Sci. Paris*, 299 II, 707-710.

Labeyrie, L. D., and A. Juillet (1982), Oxygen isotopic exchangeability of diatom valve silica, *Geochim. Cosmochim. Acta*, 46, 967-975.

Labeyrie, L. D. (1982), Sedimentation and Geochemistry, *Sedimentary geology*, 31, 1.

Juillet, A., et al. (1982), Oxygen isotope composition of diatom silica and silicoflagellates assemblage changes in the Gulf of California: A 700 years upwelling study, in *Coastal upwelling, its sediment record.*, edited by J. T. e. E. Suess, pp. 277-293, Plenum pub. Corp.

Bonté, P., et al. (1982), Morphology and tectonics of the Romanche transform fault, *Oceanologica acta*, 5, 235-240.

Labeyrie, L., and A. Juillet, D, 290, 1185- 1188 1980. (1980), Echangeabilité isotopique de l'oxygène de la silice biogénique, *C.R. Acad. Sc. Paris, D*, 290, 1185-1188.

Labeyrie, L. D. (1979), La composition isotopique de l'oxygène de la silice des valves de diatomées: mise au point d'une nouvelle méthode de Paléoclimatologie quantitative., *These Dr.Sc. ,Note CEA 2086*, 171 pp thesis, Paris XI.

- Mikkelsen, N., et al. (1978), Silica oxygen isotopes in diatoms: a 20,000 years record in deep sea sediments, *Nature*, 271, 536-538.
- Heckinian, R., et al. (1978), Volcanics from the Sierra Leone Rise, *Nature*, 257, 536.
- Labeyrie, L. D., et al. (1974), Measurements of iron 55 from nuclear fallout in marine sediments and sea water., *Nuclear Instr. and Methods*, 128, 575-580.
- Labeyrie, L. D. (1974), New approach to surface seawater paleotemperatures using 18O/16O ratios in silica of diatom frustules, *Nature*, 248, 40-42.
- Labeyrie, L. (1974), Composition isotopique de l'oxygène de la silice des frustules de diatomées et spicules d'éponge. Variations de l'enrichissement isotopique avec la température, in "Les méthodes quantitatives d'étude des variations du climat au cours du Pléistocène" Colloque Intern. du CNRS n°219, Gif-sur-Yvette, 1973, edited by CNRS.
- Labeyrie, L. D. (1973), Composition isotopique de l'oxygène de la silice des frustules de diatomées et spicules d'éponges. Variation de l'enrichissement isotopique avec la température, in *Variation du climat au cours du Pléistocène*, edited by J. Labeyrie, pp. 193-201, CNRS, Paris.
- Labeyrie, L., and J. C. Duplessy (1973), Géochimie isotopique de la silice biogénique: détermination d'une nouvelle échelle de paléotempérature, *Rev. Geophys. Geol. Dyn.* 5, 511-522.
- Labeyrie, L. (1972), Composition isotopique de l'oxygène de la silice biogénique., *C.R. Acad. Sc. Paris*, 1605-1608.
- Labeyrie, L. (1971), Problèmes posés par la mesure de la composition isotopique des silicates. Applications à l'étude des diatomées, Thèse de spécialité thesis, Paris VI.
- Duplessy, J. C., et al. (1971), La mesure des variations climatiques continentales. Application à la période comprise entre 130.000 et 90.000 ans BP, *Quaternary Research*, 1, 162-174.
- Labeyrie, J., et al. (1970), The possible origin of natural carbon radioactivity fluctuations in the past, in *Nobel Symposium 12 "Radiocarbon Variations and Absolute Chronology"* Uppsala, edited by A. (Ingrid U. Olsson, Wiksell, pp. 539-547, Stockholm.
- Duplessy, J. C., et al. (1970), Continental climatic variations between 130,000 and 90,000 years B.P., *Nature*, 226, 631-633.