

Staffan Normark Publications 1968-2003

2003

Normark S, Nilsson C, Normark BH, Hornef MW. Persistent infection with *Helicobacter pylori* and the development of gastric cancer. *Adv Cancer Res.* 2003;90:63-89. Review.

Nilsson C, Sillen A, Eriksson L, Strand ML, Enroth H, Normark S, Falk P, Engstrand L. Correlation between *cag* Pathogenicity Island Composition and *Helicobacter pylori*-Associated Gastrointestinal Disease. *Infect Immun.* 2003 Nov;71(11):6573-81.

Hornef MW, Normark BH, Vandewalle A, Normark S. Intracellular Recognition of Lipopolysaccharide by Toll-like Receptor 4 in Intestinal Epithelial Cells. *J Exp Med.* 2003 Oct 20;198(8):1225-35.

Backhed F, Normark S, Schweda EK, Oscarson S, Richter-Dahlfors A. Structural requirements for TLR4-mediated LPS signalling: a biological role for LPS modifications. *Microbes Infect.* 2003 Oct;5(12):1057-63.

Seputiene V, Motiejunas D, Suziedelis K, Tomenius H, Normark S, Melefors O, Suziedeliene E. Molecular characterization of the acid-inducible *asr* gene of *Escherichia coli* and its role in acid stress response. *J Bacteriol.* 2003 Apr;185(8):2475-84.

Backhed F, Rokbi B, Torstensson E, Zhao Y, Nilsson C, Seguin D, Normark S, Buchan AM, Richter-Dahlfors A. Gastric Mucosal Recognition of *Helicobacter pylori* Is Independent of Toll-Like Receptor 4. *J Infect Dis.* 2003 Mar 1;187(5):829-36.

Rhen M, Eriksson S, Clements M, Bergstrom S, Normark SJ. The basis of persistent bacterial infections. *Trends Microbiol.* 2003 Feb;11(2):80-6.

Pernestig AK, Georgellis D, Romeo T, Suzuki K, Tomenius H, Normark S, Melefors O. The *Escherichia coli* BarA-UvrY two-component system is needed for efficient switching between glycolytic and gluconeogenic carbon sources. *J Bacteriol.* 2003 Feb;185(3):843-53.

2002

Henriques Normark B, Normark S. Hosting for the cruel and the inconsequential. *Nat Med.* 2002 Dec;8(12):1349-50. No abstract available.

Folkesson A, Lofdahl S, Normark S. The salmonella enterica subspecies I specific centisome 7 genomic island encodes novel protein families present in bacteria living in close contact with eukaryotic cells. *Res Microbiol.* 2002 Oct;153(8):537-45.

Hornef MW, Wick MJ, Rhen M, Normark S. Bacterial strategies for overcoming host innate and adaptive immune responses. *Nat Immunol.* 2002 Nov;3(11):1033-40. Review.

Henriques Normark B, Normark S. Antibiotic tolerance in pneumococci. *Clin Microbiol Infect.* 2002 Oct;8(10):613-22. Review.

Normark BH, Normark S. Evolution and spread of antibiotic resistance. *J Intern Med.* 2002 Aug;252(2):91-106. Review.

Backhed F, Meijer L, Normark S, Richter-Dahlfors A. TLR4-dependent recognition of lipopolysaccharide by epithelial cells requires sCD14. *Cell Microbiol.* 2002 Aug;4(8):493-501.

Clements MO, Eriksson S, Thompson A, Lucchini S, Hinton JC, Normark S, Rhen M. Polynucleotide phosphorylase is a global regulator of virulence and persistency in *Salmonella enterica*. *Proc Natl Acad Sci U S A.* 2002 Jun 25;99(13):8784-9.

Backhed F, Normark S, Richter-Dahlfors A. TLR4-dependent lipopolysaccharide signalling in epithelial cells is independent of extracellular protease activity. *Cell Microbiol.* 2002 May;4(5):297-303.

Hornef MW, Frisan T, Vandewalle A, Normark S, Richter-Dahlfors A. Toll-like receptor 4 resides in the Golgi apparatus and colocalizes with internalized lipopolysaccharide in intestinal epithelial cells. *J Exp Med.* 2002 Mar 4;195(5):559-70.

Normark S, Albiger B, Jonsson AB. Gonococci cause immunosuppression by engaging a coinhibitory receptor on T lymphocytes. *Nat Immunol.* 2002 Mar;3(3):210-1. No abstract available.

Chapman MR, Robinson LS, Pinkner JS, Roth R, Heuser J, Hammar M, Normark S, Hultgren SJ. Role of *Escherichia coli* curli operons in directing amyloid fiber formation. *Science.* 2002 Feb 1;295(5556):851-5.

2001

Normark S, Normark BH, Hornef M. How neutrophils recognize

bacteria and move toward infection. *Nat Med*. 2001 Nov;7(11):1182-4. No abstract available.

Henriques Normark B, Kalin M, Ortqvist A, Akerlund T, Liljequist BO, Hedlund J, Svenson SB, Zhou J, Spratt BG, Normark S, Kallenius G. Dynamics of penicillin-susceptible clones in invasive pneumococcal disease. *J Infect Dis*. 2001 Oct 1;184(7):861-9.

Backhed F, Soderhall M, Ekman P, Normark S, Richter-Dahlfors A. Induction of innate immune responses by *Escherichia coli* and purified lipopolysaccharide correlate with organ- and cell-specific expression of Toll-like receptors within the human urinary tract. *Cell Microbiol*. 2001 Mar;3(3):153-8.

Henriques Normark B, Novak R, Ortqvist A, Kallenius G, Tuomanen E, Normark S. Clinical isolates of *Streptococcus pneumoniae* that exhibit tolerance of vancomycin. *Clin Infect Dis*. 2001 Feb 15;32(4):552-8.

Bian Z, Yan ZQ, Hansson GK, Thoren P, Normark S. Activation of inducible nitric oxide synthase/nitric oxide by curli fibers leads to a fall in blood pressure during systemic *Escherichia coli* infection in mice. *J Infect Dis*. 2001 Feb 15;183(4):612-9.

2000

Pernestig AK, Normark SJ, Georgellis D, Melefors O. The role of the AirS two-component system in uropathogenic *Escherichia coli*. *Adv Exp Med Biol*. 2000;485:137-42. No abstract available.

Putsep K, Axelsson LG, Boman A, Midtvedt T, Normark S, Boman HG, Andersson M. Germ-free and colonized mice generate the same products from enteric prodefensins. *J Biol Chem*. 2000 Dec 22;275(51):40478-82.

Normark S. Anfinsen comes out of the cage during assembly of the bacterial pilus. *Proc Natl Acad Sci U S A*. 2000 Jul 5;97(14):7670-2. No abstract available.

Uhlen P, Laestadius A, Jahnukainen T, Soderblom T, Backhed F, Celsi G, Brismar H, Normark S, Aperia A, Richter-Dahlfors A. Alpha-haemolysin of uropathogenic *E. coli* induces Ca²⁺ oscillations in renal epithelial cells. *Nature*. 2000 Jun 8;405(6787):694-7.

Romling U, Rohde M, Olsen A, Normark S, Reinkoster J. AgfD, the checkpoint of multicellular and aggregative behaviour in *Salmonella typhimurium* regulates at least two independent pathways. *Mol Microbiol*. 2000 Apr;36(1):10-23.

Langermann S, Mollby R, Burlein JE, Palaszynski SR, Auguste CG, DeFusco A, Strouse R, Schenerman MA, Hultgren SJ, Pinkner JS,

Winberg J, Guldevall L, Soderhall M, Ishikawa K, Normark S, Koenig S. Vaccination with FimH adhesin protects cynomolgus monkeys from colonization and infection by uropathogenic *Escherichia coli*. *J Infect Dis.* 2000 Feb;181(2):774-8.

Bian Z, Brauner A, Li Y, Normark S. Expression of and cytokine activation by *Escherichia coli* curli fibers in human sepsis. *J Infect Dis.* 2000 Feb;181(2):602-12.

1999

Su B, Johansson S, Fallman M, Patarroyo M, Granstrom M, Normark S. Signal transduction-mediated adherence and entry of *Helicobacter pylori* into cultured cells. *Gastroenterology.* 1999 Sep;117(3):595-604.

Folkesson A, Advani A, Sukupolvi S, Pfeifer JD, Normark S, Lofdahl S. Multiple insertions of fimbrial operons correlate with the evolution of *Salmonella* serovars responsible for human disease. *Mol Microbiol.* 1999 Aug;33(3):612-22.

Novak R, Henriques B, Charpentier E, Normark S, Tuomanen E. Emergence of vancomycin tolerance in *Streptococcus pneumoniae*. *Nature.* 1999 Jun 10;399(6736):590-3.

Putsep K, Normark S, Boman HG. The origin of cecropins; implications from synthetic peptides derived from ribosomal protein L1. *FEBS Lett.* 1999 May 28;451(3):249-52.

Putsep K, Branden CI, Boman HG, Normark S. Antibacterial peptide from *H. pylori*. *Nature.* 1999 Apr 22;398(6729):671-2. No abstract available.

Suziedeliene E, Suziedelis K, Garbenciute V, Normark S. The acid-inducible *asr* gene in *Escherichia coli*: transcriptional control by the *phoBR* operon. *J Bacteriol.* 1999 Apr;181(7):2084-93.

1998

Abraham SN, Jonsson AB, Normark S. Fimbriae-mediated host-pathogen cross-talk. *Curr Opin Microbiol.* 1998 Feb;1(1):75-81. Review.

Su B, Hellstrom PM, Rubio C, Celik J, Granstrom M, Normark S. Type I *Helicobacter pylori* shows Lewis(b)-independent adherence to gastric cells requiring de novo protein synthesis in both host and bacteria. *J Infect Dis.* 1998 Nov;178(5):1379-90.

Romling U, Sierralta WD, Eriksson K, Normark S. Multicellular and aggregative behaviour of *Salmonella typhimurium* strains is controlled by mutations in the *agfD* promoter. *Mol Microbiol.*

1998 Apr;28(2):249-64.

Park JT, Raychaudhuri D, Li H, Normark S, Mengin-Lecreulx D. MppA, a periplasmic binding protein essential for import of the bacterial cell wall peptide L-alanyl-gamma-D-glutamyl-meso-diaminopimelate. *J Bacteriol.* 1998 Mar;180(5):1215-23.

Romling U, Bian Z, Hammar M, Sierralta WD, Normark S. Curli fibers are highly conserved between *Salmonella typhimurium* and *Escherichia coli* with respect to operon structure and regulation. *J Bacteriol.* 1998 Feb;180(3):722-31.

Ilver D, Kallstrom H, Normark S, Jonsson AB. Transcellular passage of *Neisseria gonorrhoeae* involves pilus phase variation. *Infect Immun.* 1998 Feb;66(2):469-73.

Celik J, Su B, Tiren U, Finkel Y, Thoresson AC, Engstrand L, Sandstedt B, Bernander S, Normark S. Virulence and colonization-associated properties of *Helicobacter pylori* isolated from children and adolescents. *J Infect Dis.* 1998 Jan;177(1):247-52.

1997

Sukupolvi S, Lorenz RG, Gordon JI, Bian Z, Pfeifer JD, Normark SJ, Rhen M. Expression of thin aggregative fimbriae promotes interaction of *Salmonella typhimurium* SR-11 with mouse small intestinal epithelial cells. *Infect Immun.* 1997 Dec;65(12):5320-5.

Loferer H, Hammar M, Normark S. Availability of the fibre subunit CsgA and the nucleator protein CsgB during assembly of fibronectin-binding curli is limited by the intracellular concentration of the novel lipoprotein CsgG. *Mol Microbiol.* 1997 Oct;26(1):11-23.

Bian Z, Normark S. Nucleator function of CsgB for the assembly of adhesive surface organelles in *Escherichia coli*. *EMBO J.* 1997 Oct 1;16(19):5827-36.

Roberts JA, Kaack MB, Baskin G, Marklund BI, Normark S. Epitopes of the P-fimbrial adhesin of *E. coli* cause different urinary tract infections. *J Urol.* 1997 Oct;158(4):1610-3.

Soderhall M, Normark S, Ishikawa K, Karlsson K, Teneberg S, Winberg J, Mollby R. Induction of protective immunity after *Escherichia coli* bladder infection in primates. Dependence of the globoside-specific P-fimbrial tip adhesin and its cognate receptor. *J Clin Invest.* 1997 Jul 15;100(2):364-72.

Rahman M, Kallstrom H, Normark S, Jonsson AB. PilC of pathogenic *Neisseria* is associated with the bacterial cell

surface. *Mol Microbiol.* 1997 Jul;25(1):11-25.

Hurme R, Berndt KD, Normark SJ, Rhen M. A proteinaceous gene regulatory thermometer in *Salmonella*. *Cell.* 1997 Jul 11;90(1):55-64.

Normark S, Wolf-Watz H. Common themes amid diversity. *Science.* 1997 May 2;276(5313):659. No abstract available.

Jacobs C, Frere JM, Normark S. Cytosolic intermediates for cell wall biosynthesis and degradation control inducible beta-lactam resistance in gram-negative bacteria. *Cell.* 1997 Mar 21;88(6):823-32.

Sukupolvi S, Edelstein A, Rhen M, Normark SJ, Pfeifer JD. Development of a murine model of chronic *Salmonella* infection. *Infect Immun.* 1997 Feb;65(2):838-42.

Soderhall M, Bergerheim US, Jacobson SH, Lundahl J, Mollby R, Normark S, Winberg J. Molecular evidence for pap-G specific adhesion of *Escherichia coli* to human renal cells. *J Urol.* 1997 Jan;157(1):346-50.

1996

Zhang JP, Normark S. Induction of gene expression in *Escherichia coli* after pilus-mediated adherence. *Science.* 1996 Aug 30;273(5279):1234-6.

Hammar M, Bian Z, Normark S. Nucleator-dependent intercellular assembly of adhesive curli organelles in *Escherichia coli*. *Proc Natl Acad Sci U S A.* 1996 Jun 25;93(13):6562-6.

Cossart P, Boquet P, Normark S, Rappuoli R. Cellular microbiology emerging. *Science.* 1996 Jan 19;271(5247):315-6. Review. No abstract available.

1995

Winberg J, Mollby R, Bergstrom J, Karlsson KA, Leonardsson I, Milh MA, Teneberg S, Haslam D, Marklund BI, Normark S. The PapG-adhesin at the tip of P-fimbriae provides *Escherichia coli* with a competitive edge in experimental bladder infections of cynomolgus monkeys. *J Exp Med.* 1995 Dec 1;182(6):1695-702.

Hammar M, Arnqvist A, Bian Z, Olsen A, Normark S. Expression of two *csg* operons is required for production of fibronectin- and congo red-binding curli polymers in *Escherichia coli* K-12. *Mol Microbiol.* 1995 Nov;18(4):661-70.

Stromqvist M, Falk P, Bergstrom S, Hansson L, Lonnerdal B, Normark S, Hernell O. Human milk kappa-casein and inhibition of *Helicobacter pylori* adhesion to human gastric mucosa. *J Pediatr Gastroenterol Nutr.* 1995 Oct;21(3):288-96.

Jonsson AB, Rahman M, Normark S. Pilus biogenesis gene, pilC, of *Neisseria gonorrhoeae*: pilC1 and pilC2 are each part of a larger duplication of the gonococcal genome and share upstream and downstream homologous sequences with opa and pil loci. *Microbiology.* 1995 Oct;141 (Pt 10):2367-77.

Normark S. beta-Lactamase induction in gram-negative bacteria is intimately linked to peptidoglycan recycling. *Microb Drug Resist.* 1995 Summer;1(2):111-4. Review.

Dubus A, Normark S, Kania M, Page MG. Role of asparagine 152 in catalysis of beta-lactam hydrolysis by *Escherichia coli* AmpC beta-lactamase studied by site-directed mutagenesis. *Biochemistry.* 1995 Jun 13;34(23):7757-64.

Wick MJ, Harding CV, Twesten NJ, Normark SJ, Pfeifer JD. The phoP locus influences processing and presentation of *Salmonella typhimurium* antigens by activated macrophages. *Mol Microbiol.* 1995 May;16(3):465-76.

Jacobs C, Joris B, Jamin M, Klarsov K, Van Beeumen J, Mengin-Lecreulx D, van Heijenoort J, Park JT, Normark S, Frere JM. AmpD, essential for both beta-lactamase regulation and cell wall recycling, is a novel cytosolic N-acetylmuramyl-L-alanine amidase. *Mol Microbiol.* 1995 Feb;15(3):553-9.

1994

Roberts JA, Marklund BI, Ilver D, Haslam D, Kaack MB, Baskin G, Louis M, Mollby R, Winberg J, Normark S. The Gal(alpha 1-4)Gal-specific tip adhesin of *Escherichia coli* P-fimbriae is needed for pyelonephritis to occur in the normal urinary tract. *Proc Natl Acad Sci U S A.* 1994 Dec 6;91(25):11889-93.

Haslam DB, Boren T, Falk P, Ilver D, Chou A, Xu Z, Normark S. The amino-terminal domain of the P-pilus adhesin determines receptor specificity. *Mol Microbiol.* 1994 Nov;14(3):399-409.

Jacobs C, Huang LJ, Bartowsky E, Normark S, Park JT. Bacterial cell wall recycling provides cytosolic muropeptides as effectors for beta-lactamase induction. *EMBO J.* 1994 Oct 3;13(19):4684-94.

Wick MJ, Harding CV, Normark SJ, Pfeifer JD. Parameters that influence the efficiency of processing antigenic epitopes expressed in *Salmonella typhimurium*. *Infect Immun.* 1994

Oct;62(10):4542-8.

Arnqvist A, Olsen A, Normark S. Sigma S-dependent growth-phase induction of the *csgBA* promoter in *Escherichia coli* can be achieved in vivo by sigma 70 in the absence of the nucleoid-associated protein H-NS. *Mol Microbiol.* 1994 Sep;13(6):1021-32.

Jonsson AB, Ilver D, Falk P, Pepose J, Normark S. Sequence changes in the pilus subunit lead to tropism variation of *Neisseria gonorrhoeae* to human tissue. *Mol Microbiol.* 1994 Aug;13(3):403-16.

Dubus A, Normark S, Kania M, Page MG. The role of tyrosine 150 in catalysis of beta-lactam hydrolysis by AmpC beta-lactamase from *Escherichia coli* investigated by site-directed mutagenesis. *Biochemistry.* 1994 Jul 19;33(28):8577-86.

Dubus A, Wilkin JM, Raquet X, Normark S, Frere JM. Catalytic mechanism of active-site serine beta-lactamases: role of the conserved hydroxy group of the Lys-Thr(Ser)-Gly triad. *Biochem J.* 1994 Jul 15;301 (Pt 2):485-94.

Boren T, Normark S, Falk P. *Helicobacter pylori*: molecular basis for host recognition and bacterial adherence. *Trends Microbiol.* 1994 Jul;2(7):221-8. Review.

Monnaie D, Dubus A, Cooke D, Marchand-Brynaert J, Normark S, Frere JM. Role of residue Lys315 in the mechanism of action of the *Enterobacter cloacae* 908R beta-lactamase. *Biochemistry.* 1994 May 3;33(17):5193-201.

Phadnis SH, Ilver D, Janzon L, Normark S, Westblom TU. Pathological significance and molecular characterization of the vacuolating toxin gene of *Helicobacter pylori*. *Infect Immun.* 1994 May;62(5):1557-65.

Nassif X, Beretti JL, Lowy J, Stenberg P, O'Gaora P, Pfeifer J, Normark S, So M. Roles of pilin and PilC in adhesion of *Neisseria meningitidis* to human epithelial and endothelial cells. *Proc Natl Acad Sci U S A.* 1994 Apr 26;91(9):3769-73.

Falk P, Boren T, Normark S. Characterization of microbial host receptors. *Methods Enzymol.* 1994;236:353-74. Review. No abstract available.

1993

Boren T, Falk P, Roth KA, Larson G, Normark S. Attachment of *Helicobacter pylori* to human gastric epithelium mediated by blood group antigens. *Science.* 1993 Dec 17;262(5141):1892-5.

Phadnis SH, Westblom TU, Normark S. Molecular cloning of *Helicobacter pylori* DNA: important differences between mcrBC deletion host strains. *Mol Microbiol.* 1993 Dec;10(5):1151. No abstract available.

Bartowsky E, Normark S. Interactions of wild-type and mutant AmpR of *Citrobacter freundii* with target DNA. *Mol Microbiol.* 1993 Nov;10(3):555-65.

Wick MJ, Pfeifer JD, Findlay KA, Harding CV, Normark SJ. Compartmentalization of defined epitopes expressed in *Escherichia coli* has only a minor influence on efficiency of phagocytic processing for presentation by class I and class II major histocompatibility complex molecules to T cells. *Infect Immun.* 1993 Nov;61(11):4848-56.

Lindquist S, Weston-Hafer K, Schmidt H, Pul C, Korfmann G, Erickson J, Sanders C, Martin HH, Normark S. AmpG, a signal transducer in chromosomal beta-lactamase induction. *Mol Microbiol.* 1993 Aug;9(4):703-15.

Olsen A, Arnqvist A, Hammar M, Normark S. Environmental regulation of curli production in *Escherichia coli*. *Infect Agents Dis.* 1993 Aug;2(4):272-4.

Pfeifer JD, Wick MJ, Harding CV, Normark SJ. Processing of defined T-cell epitopes after phagocytosis of intact bacteria by macrophages. *Infect Agents Dis.* 1993 Aug;2(4):249-54. Review. No abstract available.

Hultgren SJ, Abraham S, Caparon M, Falk P, St Geme JW 3rd, Normark S. Pilus and nonpilus bacterial adhesins: assembly and function in cell recognition. *Cell.* 1993 Jun 4;73(5):887-901. Review. No abstract available.

Dubus A, Monnaie D, Jacobs C, Normark S, Frere JM. A dramatic change in the rate-limiting step of beta-lactam hydrolysis results from the substitution of the active-site serine residue by a cysteine in the class-C beta-lactamase of *Enterobacter cloacae* 908R. *Biochem J.* 1993 Jun 1;292 (Pt 2):537-43.

Falk P, Roth KA, Boren T, Westblom TU, Gordon JI, Normark S. An in vitro adherence assay reveals that *Helicobacter pylori* exhibits cell lineage-specific tropism in the human gastric epithelium. *Proc Natl Acad Sci U S A.* 1993 Mar 1;90(5):2035-9.

Jacob-Dubuisson F, Heuser J, Dodson K, Normark S, Hultgren S. Initiation of assembly and association of the structural elements of a bacterial pilus depend on two specialized tip proteins. *EMBO J.* 1993 Mar;12(3):837-47.

Olsen A, Arnqvist A, Hammar M, Sukupolvi S, Normark S. The

RpoS sigma factor relieves H-NS-mediated transcriptional repression of csgA, the subunit gene of fibronectin-binding curli in Escherichia coli. Mol Microbiol. 1993 Feb;7(4):523-36.

Frazier BA, Pfeifer JD, Russell DG, Falk P, Olsen AN, Hammar M, Westblom TU, Normark SJ. Paracrystalline inclusions of a novel ferritin containing nonheme iron, produced by the human gastric pathogen *Helicobacter pylori*: evidence for a third class of ferritins. *J Bacteriol.* 1993 Feb;175(4):966-72.

Kopp U, Wiedemann B, Lindquist S, Normark S. Sequences of wild-type and mutant ampD genes of *Citrobacter freundii* and *Enterobacter cloacae*. *Antimicrob Agents Chemother.* 1993 Feb;37(2):224-8.

Pfeifer JD, Wick MJ, Roberts RL, Findlay K, Normark SJ, Harding CV. Phagocytic processing of bacterial antigens for class I MHC presentation to T cells. *Nature.* 1993 Jan 28;361(6410):359-62.

1992

Pfeifer JD, Wick MJ, Russell DG, Normark SJ, Harding CV. Recombinant *Escherichia coli* express a defined, cytoplasmic epitope that is efficiently processed in macrophage phagolysosomes for class II MHC presentation to T lymphocytes. *J Immunol.* 1992 Oct 15;149(8):2576-84.

Arnqvist A, Olsen A, Pfeifer J, Russell DG, Normark S. The Crl protein activates cryptic genes for curli formation and fibronectin binding in *Escherichia coli* HB101. *Mol Microbiol.* 1992 Sep;6(17):2443-52.

Marklund BI, Tennent JM, Garcia E, Hamers A, Baga M, Lindberg F, Gaastra W, Normark S. Horizontal gene transfer of the *Escherichia coli* pap and prs pili operons as a mechanism for the development of tissue-specific adhesive properties. *Mol Microbiol.* 1992 Aug;6(16):2225-42.

Jonsson AB, Pfeifer J, Normark S. *Neisseria gonorrhoeae* PilC expression provides a selective mechanism for structural diversity of pili. *Proc Natl Acad Sci U S A.* 1992 Apr 15;89(8):3204-8.

Jacobs C, Dubus A, Monnaie D, Normark S, Frere JM. Mutation of serine residue 318 in the class C beta-lactamase of *Enterobacter cloacae* 908R. *FEMS Microbiol Lett.* 1992 Apr 1;71(1):95-100.

Kuehn MJ, Heuser J, Normark S, Hultgren SJ. P pili in uropathogenic *E. coli* are composite fibres with distinct fibrillar adhesive tips. *Nature.* 1992 Mar 19;356(6366):252-5.

Rollof J, Normark S. In vivo processing of *Staphylococcus aureus* lipase. *J Bacteriol.* 1992 Mar;174(6):1844-7.

1991

Kuehn MJ, Normark S, Hultgren SJ. Immunoglobulin-like PapD chaperone caps and uncaps interactive surfaces of nascently translocated pilus subunits. *Proc Natl Acad Sci U S A.* 1991 Dec 1;88(23):10586-90.

Wick MJ, Madara JL, Fields BN, Normark SJ. Molecular cross talk between epithelial cells and pathogenic microorganisms. *Cell.* 1991 Nov 15;67(4):651-9. Review.

Stromberg N, Nyholm PG, Pascher I, Normark S. Saccharide orientation at the cell surface affects glycolipid receptor function. *Proc Natl Acad Sci U S A.* 1991 Oct 15;88(20):9340-4.

Hultgren SJ, Normark S. Biogenesis of the bacterial pilus. *Curr Opin Genet Dev.* 1991 Oct;1(3):313-8. Review.

Bartowsky E, Normark S. Purification and mutant analysis of *Citrobacter freundii* AmpR, the regulator for chromosomal AmpC beta-lactamase. *Mol Microbiol.* 1991 Jul;5(7):1715-25.

Lintermans PF, Bertels A, Schlicker C, Deboeck F, Charlier G, Pohl P, Norgren M, Normark S, van Montagu M, De Greve H. Identification, characterization, and nucleotide sequence of the F17-G gene, which determines receptor binding of *Escherichia coli* F17 fimbriae. *J Bacteriol.* 1991 Jun;173(11):3366-73.

Jonsson AB, Nyberg G, Normark S. Phase variation of gonococcal pili by frameshift mutation in pilC, a novel gene for pilus assembly. *EMBO J.* 1991 Feb;10(2):477-88.

Tuomanen E, Lindquist S, Sande S, Galleni M, Light K, Gage D, Normark S. Coordinate regulation of beta-lactamase induction and peptidoglycan composition by the amp operon. *Science.* 1991 Jan 11;251(4990):201-4.

Hultgren SJ, Normark S, Abraham SN. Chaperone-assisted assembly and molecular architecture of adhesive pili. *Annu Rev Microbiol.* 1991;45:383-415. Review.

1990

Nyberg G, Stromberg N, Jonsson A, Karlsson KA, Normark S. Erythrocyte gangliosides act as receptors for *Neisseria*

subflava: identification of the Sia-1 adhesin. *Infect Immun.* 1990 Aug;58(8):2555-63.

Stromberg N, Marklund BI, Lund B, Ilver D, Hamers A, Gaastra W, Karlsson KA, Normark S. Host-specificity of uropathogenic *Escherichia coli* depends on differences in binding specificity to Gal alpha 1-4Gal-containing isoreceptors. *EMBO J.* 1990 Jun;9(6):2001-10.

Tennent JM, Lindberg F, Normark S. Integrity of *Escherichia coli* P pili during biogenesis: properties and role of PapJ. *Mol Microbiol.* 1990 May;4(5):747-58.

1989

Lindberg F, Tennent JM, Hultgren SJ, Lund B, Normark S. PapD, a periplasmic transport protein in P-pilus biogenesis. *J Bacteriol.* 1989 Nov;171(11):6052-8.

Lindquist S, Galleni M, Lindberg F, Normark S. Signalling proteins in enterobacterial AmpC beta-lactamase regulation. *Mol Microbiol.* 1989 Aug;3(8):1091-102.

Lindquist S, Lindberg F, Normark S. Binding of the *Citrobacter freundii* AmpR regulator to a single DNA site provides both autoregulation and activation of the inducible ampC beta-lactamase gene. *J Bacteriol.* 1989 Jul;171(7):3746-53.

Hultgren SJ, Lindberg F, Magnusson G, Kihlberg J, Tennent JM, Normark S. The PapG adhesin of uropathogenic *Escherichia coli* contains separate regions for receptor binding and for the incorporation into the pilus. *Proc Natl Acad Sci U S A.* 1989 Jun;86(12):4357-61.

Olsen A, Jonsson A, Normark S. Fibronectin binding mediated by a novel class of surface organelles on *Escherichia coli*. *Nature.* 1989 Apr 20;338(6217):652-5.

1988

Lindberg F, Lindquist S, Normark S. Genetic basis of induction and overproduction of chromosomal class I beta-lactamase in nonfastidious gram-negative bacilli. *Rev Infect Dis.* 1988 Jul-Aug;10(4):782-5. Review.

Stromberg N, Deal C, Nyberg G, Normark S, So M, Karlsson KA. Identification of carbohydrate structures that are possible receptors for *Neisseria gonorrhoeae*. *Proc Natl Acad Sci U S A.* 1988 Jul;85(13):4902-6.

Lund B, Lindberg F, Marklund BI, Normark S. Tip proteins of pili

associated with pyelonephritis: new candidates for vaccine development. *Vaccine*. 1988 Apr;6(2):110-2. Review.

Lund B, Lindberg F, Normark S. Structure and antigenic properties of the tip-located P pilus proteins of uropathogenic *Escherichia coli*. *J Bacteriol*. 1988 Apr;170(4):1887-94.

Galleni M, Lindberg F, Normark S, Cole S, Honore N, Joris B, Frere JM. Sequence and comparative analysis of three *Enterobacter cloacae* ampC beta-lactamase genes and their products. *Biochem J*. 1988 Mar 15;250(3):753-60.

Lund B, Marklund BI, Stromberg N, Lindberg F, Karlsson KA, Normark S. Uropathogenic *Escherichia coli* can express serologically identical pili of different receptor binding specificities. *Mol Microbiol*. 1988 Mar;2(2):255-63.

Baga M, Goransson M, Normark S, Uhlin BE. Processed mRNA with differential stability in the regulation of *E. coli* pilin gene expression. *Cell*. 1988 Jan 29;52(2):197-206.

Normark S, Hultgren S, Marklund BI, Stromberg N, Tennent J. Biogenesis of pili adhesins associated with urinary tract infectious *Escherichia coli*. *Antonie Van Leeuwenhoek*. 1988;54(5):405-9.

1987

Norgren M, Baga M, Tennent JM, Normark S. Nucleotide sequence, regulation and functional analysis of the papC gene required for cell surface localization of Pap pili of uropathogenic *Escherichia coli*. *Mol Microbiol*. 1987 Sep;1(2):169-78.

Lund B, Lindberg F, Marklund BI, Normark S. The PapG protein is the alpha-D-galactopyranosyl-(1----4)-beta-D-galactopyranose-binding adhesin of uropathogenic *Escherichia coli*. *Proc Natl Acad Sci U S A*. 1987 Aug;84(16):5898-902.

Lindberg F, Lund B, Johansson L, Normark S. Localization of the receptor-binding protein adhesin at the tip of the bacterial pilus. *Nature*. 1987 Jul 2-8;328(6125):84-7.

Nikaido H, Normark S. Sensitivity of *Escherichia coli* to various beta-lactams is determined by the interplay of outer membrane permeability and degradation by periplasmic beta-lactamases: a quantitative predictive treatment. *Mol Microbiol*. 1987 Jul;1(1):29-36.

Lindberg F, Lindquist S, Normark S. Inactivation of the ampD gene causes semiconstitutive overproduction of the inducible *Citrobacter freundii* beta-lactamase. *J Bacteriol*. 1987 May;169(5):1923-8.

Baga M, Norgren M, Normark S. Biogenesis of *E. coli* Pap pili: papH, a minor pilin subunit involved in cell anchoring and length modulation. *Cell*. 1987 Apr 24;49(2):241-51.

Lindberg F, Normark S. Common mechanism of ampC beta-lactamase induction in enterobacteria: regulation of the cloned *Enterobacter cloacae* P99 beta-lactamase gene. *J Bacteriol*. 1987 Feb;169(2):758-63.

Schoolnik GK, O'Hanley P, Lark D, Normark S, Vosti K, Falkow S. Uropathogenic *Escherichia coli*: molecular mechanisms of adherence. *Adv Exp Med Biol*. 1987;224:53-62. Review.

Deal CD, Stromberg N, Nyberg G, Normark S, Karlsson KA, So M. Pilin independent binding of *Neisseria gonorrhoeae* to immobilized glycolipids. *Antonie Van Leeuwenhoek*. 1987;53(6):425-30.

1986

Lindberg F, Lindquist S, Normark S. Induction of chromosomal beta-lactamase expression in enterobacteria. *J Antimicrob Chemother*. 1986 Oct;18 Suppl C:43-50. Review.

Lindberg F, Normark S. Contribution of chromosomal beta-lactamases to beta-lactam resistance in enterobacteria. *Rev Infect Dis*. 1986 Jul-Aug;8 Suppl 3:S292-304. Review.

Hagblom P, Korch C, Jonsson AB, Normark S. Intragenic variation by site-specific recombination in the cryptic plasmid of *Neisseria gonorrhoeae*. *J Bacteriol*. 1986 Jul;167(1):231-7.

Lindberg F, Normark S. Sequence of the *Citrobacter freundii* OS60 chromosomal ampC beta-lactamase gene. *Eur J Biochem*. 1986 May 2;156(3):441-5.

Lindberg F, Lund B, Normark S. Gene products specifying adhesion of uropathogenic *Escherichia coli* are minor components of pili. *Proc Natl Acad Sci U S A*. 1986 Mar;83(6):1891-5.

Normark S, Lindquist S, Lindberg F. Chromosomal beta-lactam resistance in enterobacteria. *Scand J Infect Dis Suppl*. 1986;49:38-45. Review.

1985

Baga M, Goransson M, Normark S, Uhlin BE. Transcriptional activation of a pap pilus virulence operon from uropathogenic *Escherichia coli*. *EMBO J*. 1985 Dec 30;4(13B):3887-93.

Korch C, Hagblom P, Ohman H, Goransson M, Normark S. Cryptic plasmid of *Neisseria gonorrhoeae*: complete nucleotide sequence

and genetic organization. *J Bacteriol.* 1985 Aug;163(2):430-8.

Normark S, Lindberg F. Evolution of resistance to penicillin and cephalosporin antibiotics. *Bioessays.* 1985 Jul;3(1):22-6.

Lindberg F, Westman L, Normark S. Regulatory components in *Citrobacter freundii* ampC beta-lactamase induction. *Proc Natl Acad Sci U S A.* 1985 Jul;82(14):4620-4.

Lund B, Lindberg FP, Baga M, Normark S. Globoside-specific adhesins of uropathogenic *Escherichia coli* are encoded by similar trans-complementable gene clusters. *J Bacteriol.* 1985 Jun;162(3):1293-301.

Korch C, Hagblom P, Normark S. Type III 5-methylcytosine modification of DNA in *Neisseria gonorrhoeae*. *J Bacteriol.* 1985 Mar;161(3):1236-7.

Uhlin BE, Norgren M, Baga M, Normark S. Adhesion to human cells by *Escherichia coli* lacking the major subunit of a digalactoside-specific pilus-adhesin. *Proc Natl Acad Sci U S A.* 1985 Mar;82(6):1800-4.

Grundstrom T, Normark S. Initiation of translation makes attenuation of ampC in *E. coli* dependent on growth rate. *Mol Gen Genet.* 1985;198(3):411-5.

Uhlin BE, Baga M, Goransson M, Lindberg FP, Lund B, Norgren M, Normark S. Genes determining adhesin formation in uropathogenic *Escherichia coli*. *Curr Top Microbiol Immunol.* 1985;118:163-78. Review.

1984

Lindberg FP, Lund B, Normark S. Genes of pyelonephritogenic *E. coli* required for digalactoside-specific agglutination of human cells. *EMBO J.* 1984 May;3(5):1167-73.

Norgren M, Normark S, Lark D, O'Hanley P, Schoolnik G, Falkow S, Svanborg-Eden C, Baga M, Uhlin BE. Mutations in *E coli* cistrons affecting adhesion to human cells do not abolish Pap pili fiber formation. *EMBO J.* 1984 May;3(5):1159-65.

Baga M, Normark S, Hardy J, O'Hanley P, Lark D, Olsson O, Schoolnik G, Falkow S. Nucleotide sequence of the papA gene encoding the Pap pilus subunit of human uropathogenic *Escherichia coli*. *J Bacteriol.* 1984 Jan;157(1):330-3.

1983

Olsson O, Bergstrom S, Lindberg FP, Normark S. ampC beta-

lactamase hyperproduction in Escherichia coli: natural ampicillin resistance generated by horizontal chromosomal DNA transfer from Shigella. Proc Natl Acad Sci U S A. 1983 Dec;80(24):7556-60.

O'Hanley P, Lark D, Normark S, Falkow S, Schoolnik GK. Mannose-sensitive and Gal-Gal binding Escherichia coli pili from recombinant strains. Chemical, functional, and serological properties. *J Exp Med.* 1983 Nov 1;158(5):1713-19.

Korch C, Hagblom P, Normark S. Sequence-specific DNA modification in *Neisseria gonorrhoeae*. *J Bacteriol.* 1983 Sep;155(3):1324-32.

Bergstrom S, Lindberg FP, Olsson O, Normark S. Comparison of the overlapping *frd* and *ampC* operons of *Escherichia coli* with the corresponding DNA sequences in other gram-negative bacteria. *J Bacteriol.* 1983 Sep;155(3):1297-305.

Normark S, Lark D, Hull R, Norgren M, Baga M, O'Hanley P, Schoolnik G, Falkow S. Genetics of digalactoside-binding adhesin from a uropathogenic *Escherichia coli* strain. *Infect Immun.* 1983 Sep;41(3):942-9.

Jaurin B, Normark S. Insertion of IS2 creates a novel *ampC* promoter in *Escherichia coli*. *Cell.* 1983 Mar;32(3):809-16.

Normark S, Bergstrom S, Edlund T, Grundstrom T, Jaurin B, Lindberg FP, Olsson O. Overlapping genes. *Annu Rev Genet.* 1983;17:499-525. Review.

1982

Bergstrom S, Olsson O, Normark S. Common evolutionary origin of chromosomal beta-lactamase genes in enterobacteria. *J Bacteriol.* 1982 May;150(2):528-34.

Olsson O, Bergstrom S, Normark S. Identification of a novel *ampC* beta-lactamase promoter in a clinical isolate of *Escherichia coli*. *EMBO J.* 1982;1(11):1411-6.

Jaurin B, Grundstrom T, Normark S. Sequence elements determining *ampC* promoter strength in *E. coli*. *EMBO J.* 1982;1(7):875-81.

1981

Edlund T, Normark S. Recombination between short DNA homologies causes tandem duplication. *Nature.* 1981 Jul 16;292(5820):269-71.

Jaurin B, Grundstrom T, Edlund T, Normark S. The *E. coli* beta-

lactamase attenuator mediates growth rate-dependent regulation. Nature. 1981 Mar 19;290(5803):221-5.

Norlander L, Davies JK, Hagblom P, Normark S. Deoxyribonucleic acid modifications and restriction endonuclease production in *Neisseria gonorrhoeae*. *J Bacteriol.* 1981 Feb;145(2):788-95.

Herrero E, Guerrero R, Wolf-Watz H, Normark S. A mutant of *Salmonella typhimurium* with an abnormal septation pattern associated with an inhibition of RNA synthesis. *Z Allg Mikrobiol.* 1981;21(10):715-28.

1980

Grundstrom T, Normark S, Magnusson KE. Overproduction of outer membrane protein suppresses envA-induced hyperpermeability. *J Bacteriol.* 1980 Dec;144(3):884-90.

Grundstrom T, Jaurin B, Edlund T, Normark S. Physical mapping and expression of hybrid plasmids carrying chromosomal beta-lactamase genes of *Escherichia coli* K-12. *J Bacteriol.* 1980 Sep;143(3):1127-34.

Normark S, Bergstrom S, Edlund T, Grundstrom T, Jaurin B. Bacterial defence against antibiotics. *Scand J Infect Dis Suppl.* 1980;Suppl 24:188-94.

Bergstrom S, Normark S. Further comparisons between cefuroxime and cefamandole in its in vitro activity. *Scand J Infect Dis Suppl.* 1980;suppl 25:30-1.

Normark S, Grundstrom T, Bergstrom S. Susceptibility to penicillins and cephalosporins in beta-lactamase producing strains of *E. coli* and relative amount of beta-lactamase produced from these strains. *Scand J Infect Dis Suppl.* 1980;suppl 25:23-9.

Magnusson KE, Davies J, Grundstrom T, Kihlstrom E, Normark S. Surface charge and hydrophobicity of *Salmonella*, *E. coli*, *Gonococci* in relation to their tendency to associate with animal cells. *Scand J Infect Dis Suppl.* 1980;Suppl 24:135-40.

Edlund T, Grundstrom T, Bjork GR, Normark S. Tandem duplication induced by an unusual ampA1-, ampC-transducing lambda phage: a probe to initiate gene amplification. *Mol Gen Genet.* 1980;180(2):249-57.

Davies JK, Normark S. A relationship between plasmid structure, structural lability, and sensitivity to site-specific endonucleases in *Neisseria gonorrhoeae*. *Mol Gen Genet.* 1980 Jan;177(2):251-60.

Normark S, Elmros T, Norlander L, Kjellberg E, Holm S, Burman

LA, Bergstrom S. Cefuroxime treatment of urethritis caused by a beta-lactamase-producing strain of *Neisseria gonorrhoeae*. *Acta Derm Venereol.* 1980;60(3):277-9.

Norlander L, Norqvist A, Davies J, Magnusson KE, Normark S. Genetic and physiological basis for diversity in the structure of the cell surface of *Neisseria gonorrhoeae*. *Scand J Infect Dis Suppl.* 1980;Suppl 24:158-61.

1979

Magnusson KE, Kihlstrom E, Norqvist A, Davies J, Normark S. Effect of iron on surface charge and hydrophobicity of *Neisseria gonorrhoeae*. *Infect Immun.* 1979 Nov;26(2):402-7.

Magnusson KE, Kihlstrom E, Norlander L, Norqvist A, Davies J, Normark S. Effect of colony type and pH on surface charge and hydrophobicity of *Neisseria gonorrhoeae*. *Infect Immun.* 1979 Nov;26(2):397-401.

Bergstrom S, Normark S. Beta-lactam resistance in clinical isolates of *Escherichia coli* caused by elevated production of the ampC-mediated chromosomal beta-lactamase. *Antimicrob Agents Chemother.* 1979 Oct;16(4):427-33.

Elmros T, Holm S, Kjellberg E, Normark S, Winblad B. Effects of low ampicillin concentrations on penicillin sensitive and beta-lactamase producing strains of *Neisseria gonorrhoeae*. *J Antimicrob Chemother.* 1979 Sep;5(5):555-61.

Edlund T, Grundstrom T, Normark S. Isolation and characterization of DNA repetitions carrying the chromosomal beta-lactamase gene of *Escherichia coli* K-12. *Mol Gen Genet.* 1979 Jun 7;173(2):115-25.

Jaurin B, Normark S. In vivo regulation of chromosomal beta-lactamase in *Escherichia coli*. *J Bacteriol.* 1979 Jun;138(3):896-902.

Norlander L, Davies J, Norqvist A, Normark S. Genetic basis for colonial variation in *Neisseria gonorrhoeae*. *J Bacteriol.* 1979 Jun;138(3):762-9.

Norlander L, Davies J, Normark S. Genetic exchange mechanisms in *Neisseria gonorrhoeae*. *J Bacteriol.* 1979 Jun;138(3):756-61.

1978

Bergstrom S, Elmros T, Holm S, Norlander L, Normark S. [Development of antibiotic resistance in gram-negative

bacteria] *Lakartidningen*. 1978 Sep 27;75(39):3418-20. Swedish.

Bergstrom S, Norlander L, Norqvist A, Normark S. Contribution of a TEM-1-like beta-lactamase to penicillin resistance in *Neisseria gonorrhoeae*. *Antimicrob Agents Chemother*. 1978 Apr;13(4):618-23.

1977

Normark S, Edlund T, Grundstrom T, Bergstrom S, Wolf-Watz H. *Escherichia coli* K-12 mutants hyperproducing chromosomal beta-lactamase by gene repetitions. *J Bacteriol*. 1977 Dec;132(3):912-22.

Normark S, Burman LG. Resistance of *Escherichia coli* to penicillins: fine-structure mapping and dominance of chromosomal beta-lactamase mutations. *J Bacteriol*. 1977 Oct;132(1):1-7.

Westling-Haggstrom B, Elmros T, Normark S, Winblad B. Growth pattern and cell division in *Neisseria gonorrhoeae*. *J Bacteriol*. 1977 Jan;129(1):333-42.

1976

Wolf-Watz H, Normark S. Evidence for a role of N-acetylmuramyl-L-alanine amidase in septum separation in *Escherichia coli*. *J Bacteriol*. 1976 Nov;128(2):580-6.

Normark S, Norlander L, Grundstrom T, Bloom GD, Boquet P, Frelat G. Septum formation-defective mutant of *Escherichia coli*. *J Bacteriol*. 1976 Oct;128(1):401-12.

Wolf-Watz H, Elmros T, Normark S, Bloom GD. Cell envelope of *Neisseria gonorrhoeae*. A comparative study with *Escherichia coli*. *Br J Vener Dis*. 1976 Apr;52(2):142-5.

Elmros T, Normark S, Sandstrom G, Winblad B. Scanning electron microscopy of *Neisseria gonorrhoeae*. Age-induced changes in macro- and microstructure of virulent and avirulent colonies. *Br J Vener Dis*. 1976 Apr;52(2):136-41.

1975

Westling-Haggstrom B, Normark S. Genetic and physiological analysis of an *envB* spherelike mutant of *Escherichia coli* K-12 and characterization of its transductants. *J Bacteriol*. 1975 Jul;123(1):75-82.

Wolf-Watz H, Elmros T, Normark S, Bloom GD. Cell envelope of *Neisseria gonorrhoeae*: outer membrane and peptidoglycan composition of penicillin-sensitive and-resistant strains. *Infect Immun.* 1975 Jun;11(6):1332-41.

1974

Normark S, Wolf-Watz H. Cell division and permeability of unbalanced envelope mutants of *Escherichia coli* K12. *Ann Microbiol (Paris).* 1974 Sep;125 B(2):211-26.

Boman HG, Nordstrom K, Normark S. Penicillin resistance in *Escherichia coli* K12: synergism between penicillinases and a barrier in the outer part of the envelope. *Ann N Y Acad Sci.* 1974 May 10;235(0):569-86.

Bloom GD, Gumpert J, Normark S, Schuhmann E, Taubeneck U, Westling B. Morphology and growth pattern of a rod-negative *envB* mutant of *Escherichia coli* K12. *Z Allg Mikrobiol.* 1974;14(6):465-77.

1973

Gustafsson P, Nordstrom K, Normark S. Outer penetration barrier of *Escherichia coli* K-12: kinetics of the uptake of gentian violet by wild type and envelope mutants. *J Bacteriol.* 1973 Nov;116(2):893-900.

Normark S, Schonebeck J. In vitro studies of 5-fluorocytosine resistance in *Candida albicans* and *Torulopsis glabrata*. *Antimicrob Agents Chemother.* 1973 Sep;2(3):114-21.

Wolf-Watz H, Normark S, Bloom GD. Rapid method for isolation of large quantities of outer membrane from *Escherichia coli* K-12 and its application to the study of envelope mutants. *J Bacteriol.* 1973 Sep;115(3):1191-7.

1971

Normark S. Phenethyl alcohol as a suppressor of the *envA* phenotype associated with the *envA* gene in *Escherichia coli* K-12. *J Bacteriol.* 1971 Oct;108(1):51-8.

Normark S, Westling B. Nature of the penetration barrier in *Escherichia coli* K-12: effect of macromolecular inhibition of penetrability in strains containing the *envA* gene. *J Bacteriol.* 1971 Oct;108(1):45-50.

Boman HG, Jonsson S, Monner D, Normark S, Bloom GD. Cell-surface alterations in *Escherichia coli* K-12 with chromosomal mutations changing ampicillin resistance. *Ann N Y Acad Sci.* 1971 Jun 11;182:342-57.

Normark S, Boman HG, Bloom GD. Cell division in a chain-forming *envA* mutant of *Escherichia coli* K12. Fine structure of division sites and effects of EDTA, lysozyme and ampicillin. *Acta Pathol Microbiol Scand [B] Microbiol Immunol.* 1971;79(5):651-64.

1970

Normark S. Genetics of a chain-forming mutant of *Escherichia coli*. Transduction and dominance of the *envA* gene mediating increased penetration to some antibacterial agents. *Genet Res.* 1970 Aug;16(1):63-78.

1969

Boman HG, Bloom G, Normark S, Matsson E. Cell division and DNA synthesis in a chain-forming derivative of *Escherichia coli* K 12. *J Gen Microbiol.* 1969 Aug;57(3):xxx.

Normark S. Transduction and dominance studies of the *envA* gene present in a chain-forming mutant of *Escherichia coli* K 12. *J Gen Microbiol.* 1969 Aug;57(3):xxx.

Normark S. Mutation in *Escherichia coli* K-12 mediating spherulike envelopes and changes tolerance to ultraviolet irradiation and some antibiotics. *J Bacteriol.* 1969 Jun;98(3):1274-7.

Normark S, Boman HG, Matsson E. Mutant of *Escherichia coli* with anomalous cell division and ability to decrease episomally and chromosomally mediated resistance to ampicillin and several other antibiotics. *J Bacteriol.* 1969 Mar;97(3):1334-42.

1968

Boman HG, Eriksson-Grennberg KG, Normark S, Matsson E. Resistance of *Escherichia coli* to penicillins. IV. Genetic study of mutants resistant to D,L-ampicillin concentrations of 100 µg/ml. *Genet Res.* 1968 Oct;12(2):169-85.